German Engineered

Cooking Solutions

Bosch Home Appliances

2nd Edition 2013

www.bosch-home.com.au

BOSCH
Invented for life

Technologies that not only improve our life today, but tomorrow as well.

We spend some

45%

of our research and development budget on resource-conserving and energy-saving technologies.

Green Technology inside
This signet denotes products that focus on energy and water efficiency while achieving top performance based on Bosch technologies – and, like all Bosch products, have been manufactured with the aim of minimizing their impact on the environment. The signet stands for the resource-efficiency of our products – quite simply, for their 'Green Technology'.

Responsibility
Bosch has always taken its responsibility towards man and nature seriously. This creates an obligation and incentive to develop resource-efficient household appliances. 'Green Technology' can create the potential to not only improve the future but also our quality of life today. Our appliances are manufactured with respect and sensitivity to the environment and designed to operate more efficiently than our previous models.

Preservation
As a leading industrial company, we are conscious of our responsibility towards society and future generations. We act in harmony with our environment with the aim of preserving values like trust and integrity, promoting health and treating the environment and natural resources with due care. In 2008, we were awarded the German Sustainability Award in acknowledgement of this commitment.

Transparency
Our actions are driven by integrity. Our trusting relationship with customers, employees and suppliers is built on honesty and openness. This also includes a policy devoted to information transparency: we provide clear, understandable information and facts to assist in decision-making. The 'Green Technology' signet, for example, draws attention to the particular 'Green Technology' used in our individual products, specifies the relevant savings, special efficiency of operation and manufacturing process.

Efficiency
We deploy ground-breaking technological innovations to develop some of the most economical and resource-efficient household appliances in the world. Our ActiveWater dishwashers, for instance, considerably reduce both water and electricity consumption in comparison to our previous models, while ActiveAir Technology, found in the EcoLogixx 7, dries laundry so efficiently, it consumes up to 55% less energy than our previous models. Likewise, our fridges, offer up to 2.5 star energy efficiency, rating them amongst the most efficient in their class. And these are no exceptions – approximately 40% of the patents we file are for products designed with the aim of minimizing their impact on the environment.

Scan QR code for more information

Green machines

Great journeys start with a single step.
Resource efficiency is a subject that affects us all. Continuing climate change caused by the damaged ozone layer is the result of carbon dioxide (CO^2) emissions from the burning of fossil fuels. These emissions are increasing on a daily basis due to the vast amount of resources we consume. To minimize our consumption, we need to slow down the rate of growth by making more efficient use of our resources. At Bosch, we design some of the most efficient home appliances in the world. For example, our ActiveWater Plus dishwashers are amongst the most resource-efficient in the world, generating the cleaning power of over 4000 litres from as little as 10.3 litres per wash.

Buying Bosch resource-efficient appliances means you can reduce your water and energy consumption without compromising on performance. At Bosch, we believe you should never have to sacrifice excellence to embrace the planet we live on.

What was good for the environment in

1997

is not good enough now.

Improvements in energy and water consumption over the past 15 years with the super-efficient Bosch home appliances.

Washing Machine

Consumption per kg, cottons and coloured wash 60° C [1]



Tumble Dryer

Energy consumption per kg of washing, cotton cupboard dry, spun at 1000 rpm [2]



Dishwasher

Consumption per rinse cycle per place setting [3] (2012: 13 place settings, 1997: 12 place settings)



Fridges and Freezers

Energy consumption per 100 l of net capacity in 24 hours [4]

Refrigerator

Freezer



Fridge-Freezer

Built-in Electric Oven

Energy consumption to EN 50304 (Comparison of 1999 to 2012) [5]

[1] Comparison between the consumption values as determined based on the standard program cottons and coloured wash 60°C at full load for the Bosch washing machine WAY2874W1 from 2012 and the similarly determined consumption values for a comparable Bosch appliance in 1997.

[2] Comparison between the consumption values as determined based on the standard program cotton cupboard dry for the Bosch tumble dryer WTY88701 from 2012 and the similarly determined consumption values for a comparable Bosch appliance in 1997.

[3] Comparison between the consumption values per place setting as determined based on the standard program Eco 50°C for the Bosch dishwasher SMS69U78EU/SMI69U75EU from 2012 and the similarly determined consumption values for a comparable Bosch appliance in 1997.

[4] Comparison between the consumption values as determined based on the standard program for Bosch refrigerator KIL24A75, Bosch freezer GSN58AW40 and Bosch fridge-freezer KGN36SB40 from 2012 and the similarly determined consumption values for comparable Bosch appliances in 1997.

[5] Comparison between the consumption values as determined based on the standard program for the Bosch electric oven HBG38B722D/HBG38B752D/HBG38B762D from 2012 and the similarly determined consumption values for a comparable Bosch appliance in 1999.

Percentages expressed in the above diagrams apply to appliances sold in Europe. Source: BSH Bosch und Siemens Hausgeräte GmbH.

Contents

Bosch Home Appliances	08 – 11
Ovens	12 – 30
Compact appliances	31 – 41
Freestanding cookers	42 – 45
Electric cooktops	46 – 59
Gas cooktops	60 – 67
Rangehoods	68 – 79
Accessories	80 – 82
Technical diagrams	83 – 90
Quality service	91

When everything matches.

Bosch design and style.
Give your home an edge with stylish products that complement modern design. The kitchen can become the most stylish area of any living space. With this in mind, Bosch appliances are designed to not only perform the best, but also look the best. The combination of straight lines and curved features in stainless steel reflects the trend towards rounded and elegant contours.

Bosch appliances offer premium quality, advanced technology, ease of operation and outstanding German made and engineered technology. These attributes have earned us many accolades, national, and international, such as the red dot design award, the iF design award and other endorsements.

reddot International Design Award

product design award

German Engineered

"Designing the line of Bosch built-in appliances presented us with a major challenge: how to combine an attractive design with the latest technology and functions. The result was a timeless style that creates an outstanding degree of harmony in your kitchen. After all, what could afford greater pleasure than when everything matches."
Robert Sachon, Head of Bosch Brand Design.

Perfect symmetry.

The collection of Bosch compact built-in appliances are designed to give you perfect symmetry in your kitchen. Matching control panels and horizontal lines allow you to mix and match products vertically and horizontally. Every detail has been considered; from the control panels, dials and knobs, right through to the handles and door design.

Applies to Bosch Compact appliances only. Refer to pages 31 to 41 for further information.

German Engineered

Ovens

PREMIUM

Premium models with exceptional cutting-edge features and extras. The design has been refined to give you the ultimate in contemporary style with twin LED display windows, illuminated retractable controls and metal-touch control panels. Advanced features include AutoPilot and memory function.

LIFESTYLE

Mid-range models with a broad range of extra features and benefits. The unique U-form door design, glass-on-metal door construction, all-steel handles and retractable controls ensure these ovens stand apart. Features included large LED displays and a broad range of cooking functions.

CLASSIC

Simple, practical models offering Bosch build quality and value for money. Cooking functions are simplified and include easy-to-use large display windows and touch controls.

Design

Metal behind glass
Bosch ovens bring style and elegance to the kitchen. The concept U-form door has a horizontal section of steel behind the outer glass for a unique look.

Sleek lines
Our ovens combine high-quality stainless steel and glass for a sleek finish on all models. The ergonomically designed straight metal handle bar integrates perfectly with the door.

Enamel coating
The grey enamel interior coating is easy-to-clean and the lighter colour improves visibility during cooking.

Control panel
Fully programmable, the twin display control panel is intuitive and simple to use.

Retractable controls
The retractable controls not only make the oven easy to operate but also maintain a clean line when the oven is not in use, making the oven control panel easy to clean. Our top of the range models also feature an illuminated red surround.

Metal-touch controls
The Bosch HBG76S650A now features the latest in touch-control technology with metal-touch controls and only requires the lightest touch to activate.

Improved lighting
Selected Bosch ovens feature ultra-bright interior lighting. The long-life 25 W and 40 W lamps improve visibility.

Side-opening doors
Bosch side opening ovens offer convenient access to the oven. Doors open fully to 180 degrees providing easy access to the oven interior and shelves. Available in right and left hand hinge, this option enables two ovens to be fitted side-by-side – an ideal solution when installed in a wall configuration.

Features vary depending on models. Please check individual product specifications.

Safety

CoolTouch doors
For added safety, selected Bosch single ovens are fitted with quadruple-glazed CoolTouch doors. The reflective inner glass is designed to keep the heat in, while providing a safe-to-touch door on the outside.

Automatic switch-off
The oven will switch-off after a specific period of time if left unattended. This additional safety feature is only available on selected models.

Child lock
Selected Bosch ovens feature a child lock function. The entire oven can be disabled simply by activating the lock function, helping protect against unwanted use.

Cabinetry cooling fan
The fan circulates cool air around the oven to keep the appliance and the surrounding cabinetry free from the hot air vented by the oven.

Residual heat indicator
The temperature indicator shows the residual heat in the cooking compartment when the appliance is switched off. If all the bars are filled, the temperature in the cooking compartment is approximately 300°C. Once the temperature has dropped to approximately 60°C, the display goes out.

Features vary depending on models. Please check individual product specifications.

Convenience

Memory function
Store your favourite recipe instructions e.g. heating mode + temperature + cooking duration. Then simply press the memory button to repeat the sequence at any time.

Oven clock programming
The electronic clock displays time of day and also acts as a countdown timer with an audible beep to indicate the end of the timer function. Simply select the end time (when you arrive home, e.g. 6.30 pm), the length of cooking, along with the cooking function and temperature, and the oven will do the rest.

Full glass inner door
The full glass inner door has no joints or screws – a common area that can accumulate grease. For added convenience, the doors can be easily removed for cleaning.

Precise temperature control
Electronic thermostats continuously monitor the ovens cavity temperature to maintain temperature consistency during the cooking process. This helps prevent fluctuations in temperature to provide uniform cooking results – especially when cooking on multiple levels.

Telescopic racking system
The sliding shelf mechanism provides direct access to the oven trays, without having to lift them off the shelf. The racking system can be fitted to all current Bosch single and double ovens (bottom oven only) and is ideal when basting or adding ingredients during the cooking process.

Suggested cooking temperatures
For those ovens with an LED temperature display, a recommended temperature will be suggested, depending on the program selected.

Rapid heating
Most Bosch ovens feature an automatic rapid heating function. On Top and Bottom heating, 200°C can be reached in approximately six minutes, and 175°C on 3D HotAir Plus heating can be reached in approximately five minutes.

SoftClose technology
Thanks to a special damping mechanism, the oven door now closes softly and silently. This protects both the oven and oven door in the long term.

Residual heat cooking
Towards the end of an automatic cooking program, the oven switches off and completes the cooking process without the assistance of any heating elements. This feature reduces power consumption to save energy.

XL oven cavity
Selected Bosch single ovens have an interior capacity of 67 litres (net), making them capable of roasting even the largest cuts of meat.

Information key
At any stage, you can monitor cooking information e.g. current temperature, program settings, etc, by pressing the ‘i’ key. (Available on HBG76S650A).

Features vary depending on models. Please check individual product specifications.

Let your oven do its own cleaning for you!

Pyrolytic

The ultimate in self-cleaning power and convenience.
The Bosch Pyrolytic self-cleaning system.

Pyrolytic self-cleaning system
The ultimate in self-cleaning power and convenience. During the pyrolytic cleaning process, the oven heats up to approximately 480°C and the door is locked for safety purposes. At this temperature, residues from roasting, grilling and baking are reduced to a thin layer of ash that can simply be wiped away with a damp cloth.

Bosch pyrolytic cleaning system offers 3 stages for your convenience; the dirtier the oven the higher the cleaning level should be.

Level	Degree of cleaning	Cooking time
1	Gentle	1hr 15min (approx)
2	Medium	1hr 30min (approx.)
3	Intensive	2hrs (approx.)

For added convenience, Bosch pyrolytic ovens are supplied with pyrolytic proof enamel accessories, such as the universal pan. Simply remove all standard racking and shelving, insert the supplied pyrolytic pan supports and insert your pyrolytic proof enamel tray before starting the cleaning process. You can even program the oven to run the pyrolytic cleaning function at a more convenient time, such as overnight, so you can enjoy more time cooking and less time cleaning!

Available on HBG76S650A, HBG73S550A, HBA63S451A and HBA63B250A.

Scan QR code for more information

Features vary depending on models. Please check individual product specifications.

EcoClean

EcoClean cleans the oven while you roast –
for the entire service life of the appliance.

Unique to Bosch

The microfine ceramic lining...

...soaks up the grease deposits...



...breaks them down and...



...regenerates when heated.

Oven cleaning made easy with EcoClean
The energy-saving cleaning aid. A special coating of microfine ceramic spheres on the oven's interior walls breaks down spattering grease while you bake or roast – and continues to do so for the entire service life of the appliance.

The back wall of Bosch ovens are coated with EcoClean as standard. Of course, you can also buy EcoClean ovens with side and top linings. Or, you can simply add the top and side components as optional accessories. The perfect workmanship of all the components makes retrofitting very easy.

High-tech for your kitchen
When grease spatters inside the oven, it lands on the porous lining of ceramic spheres, where it is absorbed. The structure of the grease deposits is broken up by an oxidative process. This continues throughout the service life of your oven since the microfine ceramic liners regenerate when heated.

It is possible that deposits do not completely disintegrate during the roasting or baking process, therefore, the back, top and side liners may require additional cleaning with the support of the EcoClean cleaning program. This offers 3 different cleaning levels to choose from based on the extent of the deposits.

Save energy and time
Have you ever met anyone who liked cleaning their oven? Neither have we. That's why your EcoClean oven already cleans itself while you bake or roast – saving you both time and energy.

Scan QR code for more information

Features vary depending on models. Please check individual product specifications.

AutoPilot

Imagine having a sous-chef working for you in your kitchen everyday? With Bosch AutoPilot you can.

AutoPilot
Simply place the dish in the oven, then choose the appropriate automatic program from the menu. Depending on the model, there are up to 40 recipes for you to choose from.

Poultry, red meat, fish or stews, AutoPilot will cook your dish to perfection. As AutoPilot requires the use of ovenware with a lid, your oven will stay clean too. Cooking with Bosch couldn't be simpler.

Depending on how you would like your meat cooked, you can select the corresponding program e.g. For frozen leg of lamb, on the bone cooked well done simply select P.17 and add a little liquid.

Input the weight of the meat or fish and press start. AutoPilot then takes over and determines the cooking mode, temperature and cooking duration.

1 **Press the AutoPilot key and select an automatic cooking program**



2 **Input the weight**



3 **Press start**

Scan QR code for more information

Features vary depending on models. Please check individual product specifications.

3D HotAir Plus

Experience even temperature on any 1 or all 3 levels with Bosch 3D HotAir Plus.



3D HotAir Plus
A round heating element is neatly concealed around the fan. With strategically placed vents in the rear of the cavity the 3D HotAir Plus function provides improved heat distribution and constant circulation of hot air. This eliminates hot spots, allowing you to cook on three levels simultaneously.

HotAir Eco
Our research shows that cooking on a single level is the most common form of cooking in an oven. That's why Bosch developed HotAir Eco, which uses less energy when compared to cooking on up to three levels. By only using one tray, this energy efficient function distributes less heat into the oven and uses residual heat to maintain the set temperature, which would otherwise be absorbed by additional trays.

Scan QR code for more information

Features vary depending on models. Please check individual product specifications.

Heating functions

With a choice of up to 11 different heating functions, from traditional heating systems to more specialised functions such as HydroBaking and Pizza setting, a Bosch oven will provide you with the flexibility to prepare a variety of meals.

3D HotAir Plus
A round heating element is neatly concealed around the fan. With strategically placed vents in the rear of the cavity the 3D HotAir Plus function provides improved heat distribution and constant circulation of hot air. This eliminates hot spots, allowing you to cook on three levels simultaneously.

HotAir Eco
Our research shows that cooking on a single level is the most common form of cooking in an oven. That's why Bosch developed HotAir Eco, which uses less energy when compared to cooking on up to three levels. By only using one tray, this energy efficient function distributes less heat into the oven and uses residual heat to maintain the set temperature, which would otherwise be absorbed by additional trays.

Top and bottom heating
Uses both the upper and lower heating elements. The heat travels to the centre of the oven by natural convection, which is the best position to obtain the selected temperature. Most foods can be cooked using this system, but it is best suited to foods that require a dark crisp finish or long, slow cook.

Bottom heating
Only the bottom element is used to generate heat. This method is ideal for reheating or for when a crisp underside is required for pizza bases and pastry cases. It can also be used for drying herbs and bain-marie cooking.

Hot air grilling
An ideal cooking method for meat and poultry where a rotisserie effect is desired. The grill and fan operate alternately, which results in even, crisp food and can use less energy than traditional roasting.

Grill - large area
Enables you to grill large quantities with precise temperature control. For added efficiency, grilling is performed with the oven door closed.

Grill - small area
On selected ovens, you have the option to select just the centre section of the grill element as an economical way to grill smaller quantities of food.

HydroBaking
Retains the moisture extracted during the cooking process as steam to prevent your baking from drying out. Ideal for bread and pastries.

Pizza setting
Designed with the pizza-lover in mind, but equally useful for quiches and tarts, this innovative function delivers cooking power for a perfectly crisp, browned base while keeping the topping moist. Suitable also for frozen food. In many cases, preheating is not required.

Keep warm
This convenient function keeps food items warm at temperatures between 60-100°C at the touch of a button.

Defrost
Perfect for gentle defrosting of meat, poultry, bread and much more.

HBG76S650A

60 cm Built-in Pyrolytic Oven

11 Heating Functions · 3D HotAir Plus · HotAir Eco · AutoPilot · M Memory function · Pyrolytic · Telescopic · SoftClose door · CoolTouch · Child lock

Heating Functions:
- Multi-function oven with 11 heating methods:
  - 3D HotAir Plus
  - HotAir Eco
  - Top/bottom heating
  - Bottom heating
  - Hot air grilling
  - Grill - large area
  - Grill - small area
  - HydroBaking
  - Pizza Setting
  - Keep warm
  - Defrost
- AutoPilot - 40 automatic programs
- Automatic rapid heat function
- Memory function
- Sabbath program
- Electronic thermostat

Design:
- 65 litre cavity volume
- Stainless steel with metal bar handle
- Grey enamel cavity
- Electronic controls with metal-touch control buttons
- LED function display with recommended temperature settings and actual temperature display
- Electronic touch control clock/timer with LED display and end time programming
- Illuminated retractable rotary control knob
- Full glass inner door with SoftClose technology
- 2 interior lights (ceiling and side wall)
- 5 shelf positions

Cleaning:
- Pyrolytic cleaning function
- Pyrolytic compatible accessories
- Removable door

Safety:
- Quadruple-glazed CoolTouch Door
- Child lock function for controls and door (optional)
- Automatic safety switch off
- Residual heat indicator
- Cooling fan

Supplied Accessories:
- 2 level telescopic racking system
- 2 wire racks
- 1 split grill tray - pyrolytic cleaning compatible
- 1 universal pan - pyrolytic cleaning compatible
- 1 baking tray - pyrolytic cleaning compatible
- 1 pair pyrolytic pan supports

Technical Information:
- 65 litre net cavity volume
- 300°C maximum temperature
- 3.65 kW total connected load
- 220-240 V / 50-60 Hz

Appliance Dimensions (HxWxD):
- 595 x 595 x 548 mm

Built-in Dimensions (HxWxD):
- 575-597 x 560 x 550 mm

Cavity Dimensions (HxWxD):
- 329 x 482 x 405 mm

Optional Accessories:
- Refer to page 80-81

PREMIUM ★ ★ ★ ★ ★

HBG73S550A

60 cm Built-in Pyrolytic Oven

9 Heating Functions · 3D HotAir Plus · HotAir Eco · Pyrolytic · Telescopic · SoftClose door · CoolTouch · Child lock

Heating functions:
- Multi-function oven with 9 heating methods:
  - 3D HotAir Plus
  - HotAir Eco
  - Top/bottom heating
  - Bottom heating
  - Hot air grilling
  - Grill - large area
  - Grill - small area
  - Pizza Setting
  - Defrost
- Automatic rapid heat function
- Electronic thermostat

Design:
- 65 litre cavity volume
- Stainless steel with metal bar handle
- Grey enamel cavity
- Electronic touch control clock/timer with LED display and end time programming
- Retractable rotary control knobs
- Full glass inner door with SoftClose technology
- Interior light
- 5 shelf positions

Cleaning:
- Pyrolytic cleaning function
- Pyrolytic compatible accessories
- Removable door

Safety:
- Quadruple-glazed CoolTouch Door
- Child lock function
- Automatic safety switch off
- Cooling fan

Supplied Accessories:
- 2 level telescopic racking system
- 2 wire racks
- 1 split grill tray - pyrolytic cleaning compatible
- 1 universal pan - pyrolytic cleaning compatible
- 1 baking tray - pyrolytic cleaning compatible
- 1 pair pyrolytic pan supports

Technical information:
- 65 litre net cavity volume
- 300°C maximum temperature
- 3.65 kW total connected load
- 220-240 V / 50-60 Hz

Appliance Dimensions (HxWxD):
- 595 x 595 x 548 mm

Built-in Dimensions (HxWxD):
- 575-597 x 560 x 550 mm

Cavity Dimensions (HxWxD):
- 329 x 482 x 405 mm

Optional Accessories:
- Refer to page 80-81

LIFESTYLE ★ ★ ★ ★ ★

HBA63S451A

60 cm Built-in Pyrolytic Oven

6 Heating Functions · 3D HotAir Plus · HotAir Eco · Pyrolytic · Telescopic · CoolTouch · Child lock

Heating functions:
- Multi-function oven with 6 heating methods:
  - 3D HotAir Plus
  - HotAir Eco
  - Top/bottom heating
  - Bottom heating
  - Hot air grilling
  - Grill - large area
- Automatic rapid heat function
- Electronic thermostat

Design:
- 65 litre cavity volume
- Stainless steel with metal bar handle
- Grey enamel cavity
- Electronic touch control clock/timer with LED display and end time programming
- Retractable rotary control knobs
- Full glass inner door
- Interior light
- 5 shelf positions

Cleaning:
- Pyrolytic cleaning function
- Pyrolytic compatible accessories
- Removable door

Safety:
- Quadruple-glazed CoolTouch Door
- Child lock function
- Automatic safety switch off
- Cooling fan

Supplied Accessories:
- 2 level telescopic racking system
- 2 wire racks
- 1 split grill tray - pyrolytic cleaning compatible
- 1 universal pan - pyrolytic cleaning compatible
- 1 baking tray - pyrolytic cleaning compatible
- 1 pair pyrolytic pan supports

Technical information:
- 65 litre net cavity volume
- 300°C maximum temperature
- 3.65 kW total connected load
- 220-240 V / 50-60 Hz

Appliance Dimensions (HxWxD):
- 595 x 595 x 548 mm

Built-in Dimensions (HxWxD):
- 575-597 x 560 x 550 mm

Cavity Dimensions (HxWxD):
- 329 x 482 x 405 mm

Optional Accessories:
- Refer to page 80-81

LIFESTYLE ★ ★ ★ ★ ★

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

HBA63B250A

60 cm Built-in Pyrolytic Oven

6 Heating Functions · 3D HotAir Plus · HotAir Eco · Pyrolytic · CoolTouch · Child lock

Heating functions:
- Multi-function oven with 6 heating methods:
  - 3D HotAir Plus
  - HotAir Eco
  - Top/bottom heating
  - Bottom heating
  - Hot air grilling
  - Grill - large area
- Automatic rapid heat function
- Electronic thermostat

Design:
- 65 litre cavity volume
- Stainless steel with metal bar handle
- Grey enamel cavity
- Electronic touch control clock/timer with LED display and end time programming
- Rotary control dials
- Full glass inner door
- Interior light
- 5 shelf positions

Cleaning:
- Pyrolytic cleaning function
- Pyrolytic compatible accessories
- Removable door

Safety:
- Quadruple-glazed CoolTouch Door
- Child lock function
- Automatic safety switch off
- Cooling fan

Supplied Accessories:
- 2 wire racks
- 1 split grill tray - pyrolytic cleaning compatible
- 1 universal pan - pyrolytic cleaning compatible
- 1 baking tray - pyrolytic cleaning compatible
- 1 pair pyrolytic pan supports

Technical information:
- 65 litre net cavity volume
- 300°C maximum temperature
- 3.65 kW total connected load
- 220-240 V / 50-60 Hz

Appliance Dimensions (HxWxD):
- 595 x 595 x 548 mm

Built-in Dimensions (HxWxD):
- 575-597 x 560 x 550 mm

Cavity Dimensions (HxWxD):
- 329 x 482 x 405 mm

Optional Accessories:
- Refer to page 80-81

CLASSIC ★★★☆☆

HBL43S450A

60 cm Built-in Oven with Side-opening Door

5 Heating Functions · 3D HotAir Plus · EcoClean · Telescopic · Child lock · XL cavity

Heating functions:
- Multi-function oven with 5 heating methods:
  - 3D HotAir Plus
  - Top/bottom heating
  - Bottom heating
  - Hot air grilling
  - Grill - large area
- Automatic rapid heat function

Design:
- 67 litre cavity volume
- Stainless steel with metal bar handle
- Grey enamel cavity
- Electronic touch control clock/timer with LED display and end time programming
- Retractable rotary control knobs
- Left hinged door
- Full glass inner door
- Interior light
- 5 shelf positions

Cleaning:
- EcoClean cleaning system in ceiling, sides and rear wall
- Removable door

Safety:
- Triple-glazed door
- Child lock function
- Cooling fan

Supplied Accessories:
- 2 level telescopic racking system
- 2 wire racks
- 1 split grill tray
- 1 universal pan
- 1 baking tray

Technical information:
- 67 litre net cavity volume
- 270°C maximum temperature
- 3.5 kW total connected load
- 220-240 V / 50-60 Hz

Appliance Dimensions (HxWxD):
- 595 x 595 x 548 mm

Built-in Dimensions (HxWxD):
- 575-597 x 560 x 550 mm

Cavity Dimensions (HxWxD):
- 329 x 482 x 420 mm

Optional Accessories:
- Refer to page 80-81

LIFESTYLE ★★★★★

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

HBR43S450A

60 cm Built-in Oven with Side-opening Door

5 Heating Functions · 3D HotAir Plus · EcoClean · Telescopic · Child lock · XL cavity

Heating functions:
- Multi-function oven with 5 heating methods:
  - 3D HotAir Plus
  - Top/bottom heating
  - Bottom heating
  - Hot air grilling
  - Grill - large area
- Automatic rapid heat function

Design:
- 67 litre cavity volume
- Stainless steel with metal bar handle
- Grey enamel cavity
- Electronic touch control clock/timer with LED display and end time programming
- Retractable rotary control knobs
- Right hinged door
- Full glass inner door
- Interior light
- 5 shelf positions

Cleaning:
- EcoClean cleaning system in ceiling, sides and rear wall
- Removable door

Safety:
- Triple-glazed door
- Child lock function
- Cooling fan

Supplied Accessories:
- 2 level telescopic racking system
- 2 wire racks
- 1 split grill tray
- 1 universal pan
- 1 baking tray

Technical information:
- 67 litre net cavity volume
- 270°C maximum temperature
- 3.5 kW total connected load
- 220-240 V / 50-60 Hz

Appliance Dimensions (HxWxD):
- 595 x 595 x 548 mm

Built-in Dimensions (HxWxD):
- 575-597 x 560 x 550 mm

Cavity Dimensions (HxWxD):
- 329 x 482 x 420 mm

Optional Accessories:
- Refer to page 80-81

LIFESTYLE ★★★★★

HBG43S450A

60 cm Built-in Oven

5 Heating Functions · 3D HotAir Plus · EcoClean · Telescopic · SoftClose door · Child lock · XL cavity

Heating functions:
- Multi-function oven with 5 heating methods:
  - 3D HotAir Plus
  - Top/bottom heating
  - Bottom heating
  - Hot air grilling
  - Grill - large area
- Automatic rapid heat function

Design:
- 67 litre cavity volume
- Stainless steel with metal bar handle
- Grey enamel cavity
- Electronic touch control clock/timer with LED display and end time programming
- Retractable rotary control knobs
- Full glass inner door with SoftClose technology
- Interior light
- 5 shelf positions

Cleaning:
- EcoClean cleaning system in ceiling, sides and rear wall
- Removable door

Safety:
- Triple-glazed door
- Child lock function
- Cooling fan

Supplied Accessories:
- 2 level telescopic racking system
- 2 wire racks
- 1 split grill tray
- 1 universal pan
- 1 baking tray

Technical information:
- 67 litre net cavity volume
- 270°C maximum temperature
- 3.5 kW total connected load
- 220-240 V / 50-60 Hz

Appliance Dimensions (HxWxD):
- 595 x 595 x 548 mm

Built-in Dimensions (HxWxD):
- 575-597 x 560 x 550 mm

Cavity Dimensions (HxWxD):
- 329 x 482 x 420 mm

Optional Accessories:
- Refer to page 80-81

LIFESTYLE ★★★★★

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

HBG43S420A

60 cm Built-in Oven

5 Heating Functions · 3D HotAir Plus · EcoClean · Telescopic · SoftClose door · Child lock · XL cavity

Heating functions:
- Multi-function oven with 5 heating methods:
  - 3D HotAir Plus
  - Top/bottom heating
  - Bottom heating
  - Hot air grilling
  - Grill - large area
- Automatic rapid heat function

Design:
- 67 litre cavity volume
- White with metal bar handle
- Grey enamel cavity
- Electronic touch control clock/timer with LED display and end time programming
- Retractable rotary control knobs
- Full glass inner door with SoftClose technology
- Interior light
- 5 shelf positions

Cleaning:
- EcoClean cleaning system in ceiling, sides and rear wall
- Removable door

Safety:
- Triple-glazed door
- Child lock function
- Cooling fan

Supplied Accessories:
- 2 level telescopic racking system
- 2 wire racks
- 1 split grill tray
- 1 universal pan
- 1 baking tray

Technical information:
- 67 litre net cavity volume
- 270°C maximum temperature
- 3.5 kW total connected load
- 220-240 V / 50-60 Hz

Appliance Dimensions (HxWxD):
- 595 x 595 x 548 mm

Built-in Dimensions (HxWxD):
- 575-597 x 560 x 550 mm

Cavity Dimensions (HxWxD):
- 329 x 482 x 420 mm

Optional Accessories:
- Refer to page 80-81

LIFESTYLE ★★★★★

HBA13B252A

60 cm Built-in Oven

4 Heating Functions · 3D HotAir Plus · EcoClean · Child lock · XL cavity

Heating functions:
- Multi-function oven with 4 heating methods:
  - 3D HotAir Plus
  - Hot air grilling
  - Grill - large area
  - Defrost

Design:
- 67 litre cavity volume
- Stainless Steel with metal bar handle
- Grey enamel cavity
- Electronic touch control clock/timer with LED display and end time programming
- Rotary control knobs
- Full glass inner door
- Interior light
- 5 shelf positions

Cleaning:
- EcoClean cleaning system in ceiling and rear wall
- Removable door

Safety:
- Triple-glazed door
- Child lock function
- Cooling fan

Supplied Accessories:
- 2 wire racks
- 1 split grill tray
- 1 universal pan
- 1 baking tray

Technical information:
- 67 litre net cavity volume
- 270°C maximum temperature
- 2.9 kW total connected load
- 220-240 V / 50-60 Hz

Appliance Dimensions (HxWxD):
- 595 x 595 x 548 mm

Built-in Dimensions (HxWxD):
- 575-597 x 560 x 550 mm

Cavity Dimensions (HxWxD):
- 329 x 482 x 420 mm

Optional Accessories:
- Refer to page 80-81

CLASSIC ★★★☆☆

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

HBA13B253A

60 cm Built-in Oven

4 Heating Functions · EcoClean · Child lock

Heating functions:
- Multi-function oven with 4 heating methods:
  - Fan forced hot air
  - Hot air grilling
  - Grill - large area
  - Defrost

Design:
- 62 litre cavity volume
- Stainless Steel with metal bar handle
- Grey enamel cavity
- Electronic touch control clock/timer with LED display and end time programming
- Rotary control dials
- Full glass inner door
- Interior light
- 5 shelf positions

Cleaning:
- EcoClean cleaning system in rear wall
- Removable door

Safety:
- Triple-glazed door
- Child lock function
- Cooling fan

Supplied Accessories:
- 2 wire racks
- 2 universal pan

Technical information:
- 62 litre net cavity volume
- 270°C maximum temperature
- 2.2 kW total connected load
- 220-240 V / 50-60 Hz

Appliance Dimensions (HxWxD):
- 595 x 595 x 515 mm

Built-in Dimensions (HxWxD):
- 575-597 x 560 x 550 mm

Cavity Dimensions (HxWxD):
- 329 x 482 x 387 mm

Optional Accessories:
- Refer to page 80-81

CLASSIC ★★★☆☆

HBX33R51

90 cm Built-in Oven

8 Heating Functions · Catalytic · XXL cavity

Heating functions:
- Multi-function oven with 8 heating methods:
  - Fan forced hot air
  - Top/bottom heating
  - Fan assisted top/bottom heating
  - Fan assisted bottom heating
  - Hot air grilling
  - Grill - large area
  - Grill - small area
  - Pizza Setting

Design:
- 77 litre cavity volume
- Stainless Steel with metal bar handle
- Enamel cavity
- Electronic clock/timer
- Rotary control knobs
- 2 interior lights (left and right side wall)
- 4 shelf positions

Cleaning:
- Catalytic cleaning system in side walls
- Removable door

Safety:
- Double-glazed door
- Cooling fan

Supplied Accessories:
- 2 wire racks
- 2 baking tray

Technical information:
- 77 litre net cavity volume
- 250°C maximum temperature
- 3.3 kW total connected load
- 220-240 V / 50-60 Hz

Appliance Dimensions (HxWxD):
- 480 x 896 x 545 mm

Built-in Dimensions (HxWxD):
- 467-470 x 860-864 x 560 mm

Cavity Dimensions (HxWxD):
- 308 x 615 x 405 mm

LIFESTYLE ★★★★★

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

HBM43S550A

60 cm Built-in Double Oven

8 Heating Functions · 3D HotAir Plus · EcoClean · Telescopic · Child lock · XL cavity

Heating functions:
- Multi-function oven with 3 heating methods (top oven) and 5 heating methods (bottom oven):

Top oven
- Top/bottom heating
- Grill - large area
- Grill - small area

Bottom oven
- 3D HotAir Plus
- Top/bottom heating
- Bottom heating
- Hot air grilling
- Grill - large area

- Automatic rapid heat function

Design:
- 35 litre cavity volume (top oven) and 67 litre cavity volume (bottom oven)
- Stainless Steel with metal bar handle
- Grey enamel cavity
- Electronic touch control clock/timer with LED display and end time programming
- Retractable rotary control knobs
- Full glass inner doors
- 2 interior lights (top and bottom oven)
- 2 shelf positions (top oven) and 5 shelf positions (bottom oven)

Cleaning:
- EcoClean cleaning system in ceiling, side and rear walls (top and bottom oven)
  Removable door

Safety:
- Triple-glazed door (top and bottom oven)
- Child lock function
- Cooling fan

Supplied accessories:
- 2 level telescopic racking system (bottom oven)
- 3 wire racks
- 2 split grill tray
- 2 universal pan
- 1 baking tray

Technical information:
- 35 litre net cavity volume (top oven) and 67 litre net cavity volume (bottom oven)
- 275°C maximum temperature
- 5.5 kW total connected load
- 220-240 V / 50-60 Hz

Appliance dimensions (HxWxD):
- 888 x 595 x 550 mm

Built-in dimensions (HxWxD):
- 872-886 x 560-570 x 550 mm

Cavity dimensions (HxWxD):
- 172 x 468 x 433 mm (top oven)
- 329 x 482 x 418 mm (bottom oven)

Optional Accessories:
- Refer to page 80-81

LIFESTYLE ★ ★ ★ ★ ★

HBM43B250A

60 cm Built-in Double Oven

7 Heating Functions · 3D HotAir Plus · EcoClean · Child lock · XL cavity

Heating functions:
- Multi-function oven with 2 heating methods (top oven) and 5 heating methods (bottom oven):

Top oven
- Top/bottom heating
- Grill - large area

Bottom oven
- 3D HotAir Plus
- Top/bottom heating
- Bottom heating
- Hot air grilling
- Grill - large area

- Automatic rapid heat function

Design:
- 35 litre cavity volume (top oven) and 67 litre cavity volume (bottom oven)
- Stainless Steel with metal bar handle
- Grey enamel cavity
- Electronic touch control clock/timer with LED display and end time programming
- Rotary sword control knobs
- Full glass inner doors
- 2 interior lights (top and bottom oven)
- 2 shelf positions (top oven) and 5 shelf positions (bottom oven)

Cleaning:
- EcoClean cleaning system in ceiling, side and rear walls (top and bottom oven)
- Removable door

Safety:
- Triple-glazed door (top and bottom oven)
- Child lock function
- Cooling fan

Supplied accessories:
- 3 wire racks
- 1 split grill tray
- 1 universal pan
- 1 baking tray

Technical information:
- 35 litre net cavity volume (top oven) and 67 litre net cavity volume (bottom oven)
- 275°C maximum temperature
- 5.5 kW total connected load
- 220-240 V / 50-60 Hz

Appliance dimensions (HxWxD):
- 888 x 595 x 550 mm

Built-in dimensions (HxWxD):
- 872-886 x 560-570 x 550 mm

Cavity dimensions (HxWxD):
- 172 x 468 x 433 mm (top oven)
- 329 x 482 x 418 mm (bottom oven)

Optional Accessories:
- Refer to page 80-81

LIFESTYLE ★ ★ ★ ★ ★

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

Compact appliances

Bosch compact appliances offer exceptional cutting-edge features and extras. Matching controls and metal-touch control panels mean that you can mix and match any compact appliances for a completely coordinated look. With electronic controls, operating functions are harmonised for easy use.

Compact appliances

Design

Metal behind glass
The Bosch compact appliances bring style and elegance to the kitchen. The concept U-form door has a horizontal section of steel behind the outer glass for a unique look.

Sleek lines
Our compact appliances combine the highest quality stainless steel and glass for a sleek and resistant finish. The ergonomically designed straight metal handle bar integrates perfectly with the door.

Retractable controls
The Bosch retractable rotary controls make the appliance easy to operate as well as maintain clean lines when the appliance is not in use, making the oven control panel easy to clean and match perfectly with our built-in ovens.

Electronic touch controls
Our state-of-art appliances feature the latest in touch-control technology with electronic touch controls, which only require the lightest touch to activate.

Compact design
What looks small in appearance is made up for with innovative features. The compact oven with integrated microwave features almost as much space in its interior as a conventional oven. Surprisingly, the 60 cm wide compact appliances conveniently fits into the smaller 45 cm high recess.

Steam and Combi-steam ovens

The Bosch steamer allows you to steam fresh or frozen food with ease while the combination steam oven offers total flexibility to steam, bake or both, to produce tender and crispy results. Cooking with steam helps retain vitamins and minerals in fresh foods as well as maintain original colour, shape and consistency.

Design

AutoPilot
Simply select the appropriate program, enter the weight and press start. The automatic program then takes over to cook your dish to perfection.

Safety

Child lock
The Bosch steamer and combi-steamer offer a childproof lock to prevent unwanted use. For added security, the childproof lock remains active even after a power failure.

Automatic switch-off
For extra peace of mind, if left unattended, the oven will switch-off after a specific period of time.

Cabinetry cooling fan
The fan circulates cool air around the oven to keep the appliance and the surrounding cabinetry free from the hot air vented by the ovens.

Convenience

Save time
Discover the convenience of cooking a healthy meal in less time. With temperature settings between 40-100°C and electronic controls, the powerful Bosch steamers are the perfect complement to any kitchen.

Eat healthier
Steaming helps to retain the vitamins and minerals in foods, which dissolve when immersed in water. In fact, compared with boiling, steam cooking can retain more of the vitamin and mineral content.

Better-looking and tastier food
The gentle heat action of steaming not only preserves the flavour, colour and aroma of the food but also maintains the form and texture. This helps food retain its natural juices and minimise drying out.

Electronic clock
All in one: minute minder, time of day display, start/stop button for setting the cooking time and the option for entering the time when the dish should be ready.

Large 1.3 litre water tank
Direct connection to a water pipe is not necessary as our ovens feature a removable water tank, making it easy to refill when required. Audible and visual water tank empty indicator adds extra convenience.

Cleaning aid
The Bosch steamer includes a handy cleaning aid function. Any residual food in the cooking compartment is loosened by the steam, which allows for easy removal. The cleaning aid lasts approximately 30 minutes to create a clean interior.

Split-level steaming
Your Bosch steamer comes with accessories that allow you to prepare different food types simultaneously on up to four levels.

HBC34D554P

60 cm Built-in Combi-Steam Oven

Steam Oven · Steam cooker · AutoPilot · Child lock

Heating functions:
- Multi-function oven with 4 heating methods
  - Fan forced hot air
  - Steam cooking
  - Fan forced hot air & steam combination
  - Reheat
- AutoPilot - 40 automatic programs

Design:
- 35 litre cavity volume
- 1.3 litre water tank
- Stainless Steel with metal bar handle
- Stainless steel cavity
- Electronic touch control clock/timer with LED display and end time programming
- Retractable rotary control knobs
- Interior light
- Water tank empty indicator

Cleaning:
- Steam cleaning system
- Descaling program
- Removable door

Safety:
- Triple-glazed door
- Child lock function
- Automatic safety switch off
- Cooling fan

Supplied accessories:
- 1 wire rack
- 2 perforated baking tray
- 2 solid baking tray
- 1 cleaning sponge

Technical information:
- 35 litre net cavity volume
- 230°C maximum fan forced hot air temperature
- 35-100°C steam temperature
- 1.9 kW total connected load
- 220-240 V / 50 Hz

Appliance dimensions (HxWxD):
- 454 x 595 x 550 mm

Built-in dimensions (HxWxD):
- 450 x 560 x 550 mm

Cavity dimensions (HxWxD):
- 265 x 325 x 402 mm

* No other appliances should be installed above this unit

* Must not be installed under a bench

Optional Accessories:
- Refer to page 81

LIFESTYLE ★ ★ ★ ★ ★

HBC24D553P

60 cm Built-in Steam Oven

Steam cooker · AutoPilot · Child lock

Heating functions:
- Steam cooking
- Defrost
- AutoPilot - 20 automatic programs

Design:
- 38 litre cavity volume
- 1.3 litre water tank
- Stainless Steel with metal bar handle
- Stainless steel cavity
- Electronic touch control clock/timer with LED display and end time programming
- Retractable rotary control knobs
- Interior light
- Water tank empty indicator

Cleaning:
- Descaling program
- Removable door

Safety:
- Double-glazed door
- Child lock function
- Automatic safety switch off
- Cooling fan

Supplied accessories:
- 1 perforated baking tray
- 1 solid baking tray
- 1 cleaning sponge

Technical information:
- 38 litre net cavity volume
- 35-100°C steam temperature
- 1.9 kW total connected load
- 220-240 V / 50 Hz

Appliance dimensions (HxWxD):
- 454 x 595 x 550 mm

Built-in dimensions (HxWxD):
- 450 x 560 x 550 mm

Cavity dimensions (HxWxD):
- 265 x 325 x 439 mm

* No other appliances should be installed above this unit

* Must not be installed under a bench

Optional Accessories:
- Refer to page 81

LIFESTYLE ★ ★ ★ ★ ★

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

Microwave and Combi-microwave cooking

The Bosch combi-microwave oven offers a mix of both traditional oven functions as well as the speed and versatility of microwave technology. Discover the convenience of quickly reheated food using the microwave while maintaining crunch and texture using the convection oven.

Multi-function appliance
The multi-function appliance features three heating modes:

- a microwave with 900 W performance combined with inverter technology for uniform heat distribution
- a convection oven with four heating methods
- the combination of microwave and convection heating functions

Turn out cakes, roasts, poultry and gratins successfully in record time. A temperature range from 30-250°C, can be used for gentle cooking, pre-heating and keeping food hot.

Design

Inverter microwave

Inverter microwave
Bosch INNOWAVE inverter technology delivers five power levels from 90-1000 W offering more consistent and even results for your cooking convenience.

Digital display
The digital display clearly indicates the power level and cooking duration selected. Bosch microwaves also feature a 24-hour digital clock and timer control up to 99 minutes.

Safety

Child lock

Child lock
Simply press the lock key for four seconds to disable all functions.

Convenience

AutoPilot

AutoPilot
Press the program button, select the program number and enter the weight. The oven will automatically calculate the power and time required to cook or defrost your dish.

M Memory function

Memory function
Store your favourite recipe instructions e.g. heating mode + temperature + cooking duration, then press the memory button to repeat the sequence at any time. Available on selected models.

1-2-3 Programing

3-stage programming
The 3-stage programming allows you to program up to three power levels and cooking times consecutively.

EcoClean

EcoClean – a world-first from Bosch
EcoClean liners are a highly efficient cleaning system. Grease and fat deposits are absorbed into the liners and are dispersed around the microscopic ceramic spheres. During the cleaning cycle, oxygen is released, burning away deposits absorbed in the liners. Being more effective than standard catalytic liners alone, the EcoClean system will provide excellent cleaning performance. Available on selected models.

HBC84K553A

60 cm Built-in Compact Gourmet Oven with Integrated Microwave

5 Heating Functions · Inverter microwave · AutoPilot · 1-2-3 Programing · EcoClean · Child lock

Heating functions:
- Multi-function oven with 5 heating methods
  - Fan forced hot air
  - Top/bottom heating
  - Hot air grilling
  - Grill - large area
  - Microwave
- All cooking modes can be used in combination with microwave
- AutoPilot - 20 automatic programs
- Microwave with INNOWAVE inverter technology
- Defrost programs
- 3 stage programming
- 90 minutes maximum time setting

Design:
- 42 litre cavity volume
- Stainless Steel with metal bar handle
- Grey enamel cavity
- Electronic touch control clock/timer with LED display and end time programming
- Retractable rotary control knobs
- Interior light
- 3 shelf positions

Cleaning:
- EcoClean cleaning system in rear wall

Safety:
- Double-glazed door
- Child lock function
- Automatic safety switch off
- Cooling fan

Supplied accessories:
- 1 wire rack
- 1 universal pan
- 1 glass baking tray

Technical information:
- 42 litre net cavity volume
- 250°C maximum temperature
- 900 W maximum microwave power output
- 5 power levels: 90/180/360/600/900 W
- 3.6 kW total connected load
- 230-240 V / 50 Hz

Appliance dimensions (HxWxD):
- 454 x 595 x 531 mm

Built-in dimensions (HxWxD):
- 450 x 560 x 550 mm

Cavity dimensions (HxWxD):
- 226 x 424 x 366 mm

* Appliance must be installed above 850 mm

Optional Accessories:
- Refer to page 81

PREMIUM ★ ★ ★ ★ ★

HMT35M653A

60 cm Built-in Microwave Oven

Inverter microwave · AutoPilot · 1-2-3 Programing · M Memory function

Heating functions:
- Microwave with INNOWAVE inverter technology
- AutoPilot - 9 automatic programs
- Defrost programs
- Memory function
- 3 stage programming
- 99 minutes maximum time setting

Design:
- 36 litre cavity volume
- Stainless Steel with metal bar handle
- Electronic touch control clock/timer with LED display
- Retractable rotary control knobs
- Interior light

Technical information:
- 36 litre net cavity volume
- 5 power levels: 90/180/360/600/1000 W
- 1.2 kW total connected load
- 230-240 V / 50 Hz

Appliance dimensions (HxWxD):
- 454 x 595 x 563 mm

Built-in dimensions (HxWxD):
- 450 x 560 x 550 mm

Cavity dimensions (HxWxD):
- 242 x 430 x 345 mm

LIFESTYLE ★ ★ ★ ★ ☆

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

HBC53B550A

60 cm Built-in Compact Oven

8 Heating Functions · 3D HotAir Plus · EcoClean · Child lock

Heating functions:
- Multi-function oven with 8 heating methods:
  - 3D HotAir Plus
  - Top/bottom heating
  - Bottom heating
  - Hot air grilling
  - Grill - large area
  - Grill - small area
  - Pizza setting
  - Defrost
- Automatic rapid heat function

Design:
- 50 litre cavity volume
- Stainless steel with metal bar handle
- Grey enamel cavity
- Electronic touch control clock/timer with LED display and end time programming
- Retractable rotary control knobs
- Full glass inner door
- Interior light
- 3 shelf positions

Cleaning:
- EcoClean cleaning system in ceiling, sides and rear wall
- Removable door

Safety:
- Triple-glazed door
- Child lock function
- Cooling fan

Supplied accessories:
- 1 wire rack
- 1 split grill tray
- 1 universal pan
- 1 baking tray

Technical information:
- 50 litre net cavity volume
- 275°C maximum temperature
- 2.8 kW total connected load
- 220-230 V / 50-60 Hz

Appliance dimensions (HxWxD):
- 454 x 595 x 550 mm

Built-in dimensions (HxWxD):
- 450 x 560 x 550 mm

Cavity dimensions (HxWxD):
- 252 x 468 x 418 mm

Optional Accessories:
- Refer to page 81

LIFESTYLE ★ ★ ★ ★ ☆

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

Coffee maker

Whether your preference is a skinny latte, a double shot cappuccino or a delicious hot chocolate, our compact coffee maker brings café-style drinks to your home.

Design

SensoFlow System
The SensoFlow System guarantees a constant and optimum brewing temperature of 90-95°C. The two heating circuits run parallel to the water pipe to guarantee optimum energy efficiency and the fastest brewing time of 29 seconds.

AromaPro
A precise pressure system provides the finest flavour and an exquisite crema. The convex shaped tamper allows the water to follow a longer route through the ground coffee, releasing more aromas.

CreamPro
The CreamPro provides a unique integrated milk frother with a suction function to provide excellent milk froth and warm milk.

Precisely measured amounts of milk, air and steam are mixed together and brought to the optimum temperature. Large air bubbles are eliminated in the outlet chamber of the device.

The milk system also offers optimum hygiene thanks to its OneTouch cleaning function and a removable milk frother.

SilentCeram Drive
The SilentCeram Drive offers pure enjoyment with every cup thanks to the optimum grinding process.

Bosch ceramic grinders are extremely durable and reliable, and unlike metal grinders, ceramic grinders dissipate heat quicker to ensure beans are not burnt during the grinding process especially after multiple grinds.

Convenience

SinglePortion Cleaning
At the end of the brewing process, there is always coffee remaining in the pipe between the brewing unit and the coffee outlet.

To resolve this, Bosch have implemented a small ventilation aperture. This allows residual coffee to flow into the tray. This happens after every coffee brew and helps keep the machine brewing the perfect crema.

OneTouch Function
Unique, integrated milk frother lets you create barista quality coffee at home, in OneTouch.

Create your own coffee just the way you like it, from a Cappuccino to a Latte Macchiato with the MyCoffee Function.

Being a barista at home is now a breeze from brewing to cleaning up, as OneTouch function also offers a OneTouch cleaning and servicing program.

Coffee maker

TCC78K751A

Stainless Steel Fully Automatic Built-In Espresso Machine

SinglePortion Cleaning · SilentCeram Drive · SensoFlow System · OneTouch Function · IndividualCup Volume · CreamCleaner · CreamPro · Calc'n'Clean · AutoValve System · AromaPro · Aroma Double Shot

Design:
- Twin LED display with metal touch controls
- Innovative SensoFlow heating system
- Innovative brewing technology with AromaPro concept
- High quality CreamPro concept milk nozzle with suction function
- Intelligent AutoValve system switches automatically between steam and hot water
- SilentCeram drive ceramic grinding unit
- Sound absorption for noise reduction
- Illuminated coffee outlet
- Bean container with aroma protection lid for up to 1000 g
- Water pump with 19 bar pressure

Beverages:
- One touch function for Latte, Macchiato, Cappuccino, Milk Coffee and 'My Coffee'
- Personalised 'My Coffee' function
- Pre-brewing function
- Fully programmable functions including grinding grade, cup size, strength and temperature
- Milk froth, warm milk and hot water separately available
- Height-adjustable coffee and milk outlet (max 150 mm)

Cleaning:
- Fully automatic descaling and cleaning program
- Fully automatic rinse cycle when switched on and off
- Hygienic single portion cleaning function
- Quick rinse milk system
- Removable milk nozzle for easy cleaning (dishwasher safe)
- Display of remaining cups before cleaning or descaling

Convenience:
- Early warning of bean container and water tank close to empty
- Bean container and water tank empty indicator
- Removable brewing unit and 2.5L water tank
- One touch button for appliance to eject of its chassis automatically for easy access to bean container, grinder and water tank

Supplied accessories:
- 1 BRITA water filter cartridge
- 1 measuring spoon
- 1 milk container and hose
- 1 set assembly screws

Technical information:
- Electrical connection rating 1700 W
- Current: 10 A
- Voltage: 220-240 V / 50-60 Hz

Appliance dimensions (HxWxD):
- 454 x 594 x 515 mm

Built-in dimensions (HxWxD):
- 454 x 594 x 536 mm

LIFESTYLE ★ ★ ★ ★ ★

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

Warming drawers

Bosch warming drawers ensure food stays just at the right serving temperature. You can even gently defrost, prove dough or slow cook. With two heights to choose from, they are the perfect partner for Bosch's 60 cm wide built-in ovens and compact appliances.

HSC290652A

HSC140652A

Plate warming
Food stays warm for longer if served in preheated ovenware. Bosch warming drawers allow you to preheat porcelain ovenware and plates to between 30-65°C.

Keep warm
Not only can you heat-up your crockery with a Bosch warming drawer but you can also keep food warming between 30-80°C for up to an hour.

Slow cooking
Bosch warming draws offer a slow cooking function, ideal for medium-rare, tender and juicy meat. Once cooking has completed the warming drawers can also be used to keep slow cooked meals warm for added convenience.

Defrost
Perfect for gently defrosting meat, poultry, bread, cream cakes and much more.

Dough proving
The gentle heat of the warming drawer is the perfect environment for proving dough.

HSC290652A / HSC140652A

60 cm Built-in Warming Drawer

Heating functions:
- Bottom and fan heating
- Suitable for:
  - Slow cooking
  - Proving yeast dough
  - Defrosting
  - Keeping food warm
  - Pre-warming cups, plates and ovenware
- Temperature range from approx. 30-80°C

Design:
- Stainless steel with metal bar handle
- Ceramic glass base element
- Electronic rotary temperature control
- Inner compartment made of stainless steel

HSC290652A

Technical information:
- 52 litre interior drawer volume
- 25 kg max. load
- 0.81 kW total connected load
- 220–240 V / 50-60 Hz

Appliance dimensions (HxWxD):
- 290 x 594 x 544 mm

Built-in dimensions (HxWxD):
- 290 x 560 x 550 mm

Internal dimensions (HxWxD):
- 245 x 465 x 457 mm

HSC140652A

Technical information:
- 20 litre interior drawer volume
- 25 kg max. load
- 0.81 kW total connected load
- 220–240 V / 50-60 Hz

Appliance dimensions (HxWxD):
- 141 x 594 x 544 mm

Built-in dimensions (HxWxD):
- 141 x 560 x 550 mm

Internal dimensions (HxWxD):
- 95 x 465 x 457 mm

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

Freestanding cookers

Our beautiful, state-of-the-art freestanding cookers provide a focal point for any kitchen.

Design

Each of the freestanding cookers offers reliable and enduring Bosch technology of the finest standard – technology that makes cooking, baking and roasting easy and more convenient.

More space for larger meals
Bosch freestanding cookers offer up to 98 litres of interior capacity, which can accommodate larger meals. And with the choice of up to five different shelf levels, you're guaranteed total flexibility.

Cooking with gas
Gas provides fast and instant cooking versatility. The cooktops on the freestanding cookers feature Bosch flame failure technology fitted to each burner. The stainless steel cooktop surface is fitted with removable cast-iron pan rests for durable performance.

Electric cooktops
With electronic touch controls, Bosch induction and ceramic cooktops combine great looks with intelligent function and design. The smooth ceramic glass cooktops surface is tough and durable as well and being practical and easy to clean.

XXL oven cavity
With a capacity ranging from 67-98 litres, the Bosch range of freestanding cookers provides additional space for larger serving portions. The greater distance between the shelves optimises heat circulation for perfect cooking results.

Safety

CoolTouch window
For added safety, selected Bosch freestanding cookers are fitted with quadruple-glazed CoolTouch doors. The reflective inner glass is designed to keep heat in, while providing a safe-to-touch door on the outside.

Child lock
A button that inhibits all oven functions and prevents unwanted use. Available on selected models.

WipeProtection
A handy function that freezes the current settings and allows the surface to be wiped down in case of spills. This saves having to switch-off the cooktop or risk accidentally changing the settings. The control panel is reactivated at the touch of the function key or after 20 seconds. Available on induction and ceramic freestanding cookers.

Convenience

Electronic clock
All in one: minute minder, time of day display, start/stop button for setting the cooking time and the option for entering the time when the dish should be ready.

Large oven window
A perfect view of the oven interior without having to open the oven door. The increased viewing window provides more visibility and greater control of the cooking process.

Rapid heating
Save time at the press of a button by heating up to 30% faster. Once the desired temperature is reached, the selected heating method is automatically activated. Available on selected models.

HSB738156A

90 cm Dual Fuel Range Cooker

Heating functions:
Oven
- Multi-function oven with 8 heating methods:
  - Fan forced hot air
  - Top/bottom heating
  - Bottom heating
  - Fan assisted top/bottom heating
  - Hot air grilling
  - Grill - large area
  - Grill - small area
  - Defrost

Cooktop
- Wok burner - front left: 15.8 Mj/h
- Economy burner - rear left: 3.9 Mj/h
- Economy burner - front centre: 3.9 Mj/h
- Standard burner - rear centre: 7.5 Mj/h
- Standard burner - front right: 7.5 Mj/h
- High-speed burner - rear right: 12 Mj/h

Design:
Oven
- 98 litre cavity volume
- Stainless steel with metal bar handle
- Electronic clock/timer
- Rotary control knobs
- 2 interior lights (rear wall)
- 5 shelf positions
- Height-adjustable legs
- Storage compartment

LIFESTYLE

Cooktop
- Stainless steel gas cooktop
- 6 burners including 1 wok burner
- 3-pc cast iron trivets
- Enamelled burner caps

Cleaning:
- Catalytic cleaning system on sides
- Removable door

Safety:
- Double-glazed door
- Cooling fan
- Flame failure fitted to each burner

Supplied accessories:
- 2 wire rack
- 1 baking tray
- Wok ring support
- 1 cross support for espresso
- LPG conversion kit

Technical information:
- 98 litre net cavity volume
- 260°C maximum temperature
- 3.0 kW total connected load
- 50.6 Mj/h total gas connected load
- 220-240 V / 50-60 Hz
- Suitable for natural gas and LPG

Appliance dimensions (HxWxD):
- 878-913 x 898 x 600 mm

Cavity dimensions (HxWxD):
- 339 x 665 x 433 mm

Optional Accessories:
- Refer to page 80-81

HGV74W355A

60 cm Dual Fuel Cooker

Heating functions:
Oven
- Multi-function oven with 8 heating methods:
  - 3D HotAir Plus
  - Top/bottom heating
  - Bottom heating
  - Hot air grilling
  - Grill - large area
  - Grill - small area
  - Pizza setting
  - Defrost
- Automatic rapid heat function

Cooktop
- Wok burner - front left: 12 Mj/h
- Standard burner - rear left: 6.5 Mj/h
- Economy burner - front right: 3.6 Mj/h
- Standard burner - rear right: 6.5 Mj/h

Design:
Oven
- 67 litre cavity volume
- Stainless steel with metal bar handle
- Electronic touch control clock/timer with LED display
- Rotary control knobs
- Full glass inner door with SoftClose technology
- 1 interior light
- 5 shelf positions
- Height-adjustable
- Utensil drawer

LIFESTYLE

Cooktop
- Stainless steel gas cooktop
- 4 burners including 1 wok burner
- 2-pc cast iron trivets
- Enamelled burner caps

Cleaning:
- EcoClean cleaning system in ceiling, sides and rear wall
- Removable door

Safety:
- Triple-glazed door
- Cooling fan
- Flame failure fitted to each burner

Supplied Accessories:
- 2 wire rack
- 1 split grill tray
- 1 universal pan
- 1 baking tray
- LPG conversion kit

Technical information:
- 67 litre net cavity volume
- 300°C maximum temperature
- 3.2 kW total connected load
- 28.6 Mj/h total gas connected load
- 220-240 V / 50-60 Hz
- Suitable for natural gas and LPG

Appliance Dimensions (HxWxD):
- 900 x 600 x 600 mm

Cavity Dimensions (HxWxD):
- 329 x 482 x 420 mm

Optional Accessories:
- Refer to page 80-81

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

HCE858451A

60cm Induction Electric Cooker

Heating functions:

Oven

- Multi-function oven with 10 heating methods:
  - 3D HotAir Plus
  - HotAir Eco
  - Top/bottom heating
  - Bottom heating
  - Hot air grilling
  - Grill - large area
  - Grill - small area
  - Pizza Setting
  - Keep warm
  - Defrost
- AutoPilot40 - 40 automatic programs
- Automatic rapid heat function
- Memory function
- Sabbath program
- Electronic thermostat

Cooktop

- 4 induction cooking zones with PowerBoost function for all zones:
  - Front left: Ø 180 mm 1.8 kW
  - Rear left: Ø 180 mm 1.8 kW
  - Front right: Ø 220 mm 2.20 kW
  - Rear right: Ø 145 mm 1.4 kW

Design:

Oven

- 67 litre cavity volume
- Stainless steel with metal bar handle
- LED function display with recommended temperature settings and actual temperature display
- Electronic touch control clock/timer with LED display and end time programming
- Retractable rotary control knob
- Full glass inner door with SoftClose technology
- Interior light
- 5 shelf positions
- Height-adjustable
- Utensil drawer

Cooktop

- Ceramic glass induction cooktop
- Automatic pot detection
- Electronic touch controls +/–
- 17 stage power setting for each zone

Cleaning:

Oven

- Pyrolytic cleaning function
- Pyrolytic compatible accessories
- Removable door

Cooktop

- WipeProtection

Safety:

Oven

- Quadruple-glazed CoolTouch door
- Child lock function
- Automatic safety switch off
- Cooling fan

Cooktop

- Child lock function
- Automatic safety switch off
- 2 stage residual heat indicator

Supplied accessories:

- 2 wire racks
- 1 split grill tray - pyrolytic cleaning compatible
- 1 universal pan - pyrolytic cleaning compatible
- 1 baking tray - pyrolytic cleaning compatible

Technical information:

- 67 litre net cavity volume
- 300°C maximum temperature
- 10.9 kW total connected load
- 220-240 V / 50-60 Hz

Appliance Dimensions (HxWxD):

- 900 x 600 x 600 mm

Cavity Dimensions (HxWxD):

- 329 x 482 x 420 mm

Optional Accessories:

- Refer to page 80-81

LIFESTYLE ★ ★ ★ ★ ★

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

HCE854451A

60 cm Ceramic Electric Cooker

Heating functions:

Oven

- Multi-function oven with 10 heating methods:
  - 3D HotAir Plus
  - HotAir Eco
  - Top/bottom heating
  - Bottom heating
  - Hot air grilling
  - Grill - large area
  - Grill - small area
  - Pizza setting
  - Keep warm
  - Defrost
- AutoPilot40 - 40 automatic programs
- Automatic rapid heat function
- Memory function
- Sabbath program
- Electronic thermostat

Cooktop

- 4 Quick-Therm ceramic cooking zones including 1 dual circuit zone & 1 extendable oval zone:
  - Front left: Ø 180 mm 1.8 kW
  - Rear left: Ø 170-260 mm 1.6 kW-2.4 kW
  - Front right: Ø 120-210 mm 0.75 kW-2.20 kW
  - Rear right: Ø 145 mm 1.2kW

Design:

Oven

- 67 litre cavity volume
- Stainless steel with metal bar handle
- LED function display with recommended temperature and actual temperature display
- Electronic touch control clock/timer with LED display and end time programming
- Retractable rotary control knobs
- Full glass inner door with SoftClose technology
- Interior light
- 5 shelf positions
- Height-adjustable
- Utensil drawer

Cooktop

- Ceramic glass cooktop
- Retractable rotary control knobs

Cleaning:

Oven

- Pyrolytic cleaning function
- Pyrolytic compatible accessories
- Removable door

Safety:

Oven

- Quadruple-glazed CoolTouch door
- Child lock function
- Automatic safety switch off
- Cooling fan

Cooktop

- Residual heat indicator

Supplied Accessories:

- 2 wire racks
- 1 split grill tray - pyrolytic cleaning compatible
- 1 universal pan - pyrolytic cleaning compatible
- 1 baking tray - pyrolytic cleaning compatible

Technical information:

- 67 litre net cavity volume
- 300°C maximum temperature
- 11.3 kW total connected load
- 220-240 V / 50-60 Hz

Appliance Dimensions (HxWxD):

- 900 x 600 x 600 mm

Cavity Dimensions (HxWxD):

- 329 x 482 x 420 mm

Optional Accessories:

- Refer to page 80-81

LIFESTYLE ★ ★ ★ ★ ★

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

German Engineered

Electric cooktops



PREMIUM

★ ★ ★ ★ ★

Premium models with exceptional features and sizes including FlexInduction technology. The slim brushed steel profile allows them to be built-in independently or coordinated with other cooktops. Advanced features include DirectSelect, WipeProtection and timer.

LIFESTYLE

★ ★ ★ ★ ★

Mid-range models with a broad range of extra features and benefits. Offering a choice of ceramic or state-of-the-art induction cooktops. Induction cooking is now widely recognised as one of the quickest, safest and most efficient methods of cooking available.



CLASSIC

★ ★ ★ ★ ★

Simple, practical models offering Bosch build quality and value for money. Straight-forward and easy-to-use, with up to 17 cooking power levels to choose from and even such technically advanced features as touch controls and residual heat indicators.

Electric cooktops

Design

Comfort profile
Selected ceramic and induction cooktops feature a stylish slim stainless steel profile on the sides with a bevelled ceramic front for a beautiful streamline finish in the kitchen.

Quality
All our ceramic and induction cooktops are made with SCHOTT CERAN – one of the most renowned developers of ceramic glass in the world. German manufactured, the customised glass is made to high European standards – both environmentally conscious and functionally superior.

Performance

17 power settings
To give you maximum control, this function allows cooking zones to be set in increments of 0.5 (e.g. 0.5, 1, 1.5, 2....9).

Safety

2-stage residual heat display
Provides clear indication of when a zone is still hot after it has been turned off. There are two levels: 'H' – residual heat sufficient to finish off cooking or to keep items warm. 'h' – residual heat insufficient to cook, but zone is still hot enough for caution.

Child lock
Featured as standard on all touch control models, it prevents the cooktop from unwanted use.

Main switch
Allows you to switch all cook zones off at the touch of a single button (Available on most models).

Automatic safety switch-off
If the cooktop is left unattended for an extended period of time, the safety switch-off facility ensures the cooktop turns itself off.

Spill protection
If anything spills or boils over on to the control panel an 'E' will appear on the display. Simply wipe away any liquid then select any button and your cooktop will continue working.

Convenience

DirectSelect
Simply selecting the required power level from those on offer (keys laid out on the cooktop) instead of having the press +/– keys repeatedly.

EasyQuattro
An easy-to-use touch control on selected models. Simply select the required cooking zone and adjust the power level to suit.

WipeProtection
A handy function that freezes the current settings and allows the surface to be wiped down in case of spills. This saves having to switch-off the cooktop or risk accidentally changing the settings. The control panel is reactivated at the touch of the function key or after 20 seconds.

Time programming function
Selected models feature a time programming function, which enables you to set the cooking zone at a specific temperature for up to 99 minutes. Once the selected time has been reached, the cooking zone is switched off automatically.

Scan QR code for more information

Features vary depending on models. Please check individual product specifications.

Induction cooktops

Cooking with induction provides faster results, efficient cooking at higher and lower temperatures and power boost function. Additional features include child lock, automatic safety switch-off and 2-stage residual heat indicator.

Design

Automatic pot detection
Bosch induction cooktops feature automatic pot detection, which recognises the diameter of the cookware and determines the size of the cooking zone accordingly. If the pot is removed, the control panel indicator will flash and remain inactive until the pot is detected.

Old pots, new technology
Most of your old pots will also work with induction if they have a magnetic base. All pots and pans with ferromagnetic bases are suitable for induction. So, if a fridge magnet sticks to your pot, you know it is induction-ready. In general, special stainless steel, iron and enamel are all suitable.

Safety

Security
As the heat is generated in the pot, the cooking surface remains cooler than conventional cooking surfaces.

Cleaning
Since the cooktop only remains warm-to-touch, spills will not burn onto the cooking surface. For maintenance and cleaning efficiency, the surface can be cleaned immediately with a damp cloth.

Convenience

Efficiency
Induction cooktops offer the most efficient way of cooking at lower temperatures, i.e. melting chocolate, etc.

Power boost function
Bosch induction cooktops feature a boost function to provide a greater power output to the selected zone. This saves time, especially for large pots of water, which need to be brought up to temperature quickly.

Cooking speed
Time required to heat 2 litres of water at 15-90°C



Source: BSH Bosch und Siemens Hausgeräte GmbH Germany (overseas test results)

Scan QR code for more information

Features vary depending on models. Please check individual product specifications.

Multiple heating zones. Seventeen cooking levels. Endless possibilities.

Bosch FlexInduction is the result of decades of research and development. At last, practical, hi-tech appliances that escape the confines of traditional cooktops. Here is freedom in the kitchen.

Design

Our FlexInduction cooktops feature two circular and one large rectangular cooking zones creating a visually stunning cooktop that's ideal for small pots, large pots, multiple pans, frying pans or casserole dishes – you name it. At the flick of a switch, you can combine two induction zones into a large induction surface.

Safety

Putting the flexibility in FlexInduction, the system allows you to control pots and pans separately. And, of course, if you need it, the combined zones can be used for a large roasting dish.

Convenience

Cleaning the cooktop is a thing of the past. Since induction cooking keeps the heat in the pan, any spilled food cannot burn onto the surface. So a simple wipe with a damp cloth is all your FlexInduction cooktop needs to restore its good looks.

Scan QR code for more information

Induction cooktops





PIN875N14E

80 cm FlexInduction Cooktop

Heating functions:
- 4 Induction cooking zones including 1 FlexInduction zone:
  - Left: Ø 200-400 mm 3.3-3.6 kW with PowerBoost
  - Rear centre: Ø 280 mm 2.4-3.6 kW with PowerBoost
  - Front right: Ø 145 mm 1.4-1.8 kW with PowerBoost
- 17 stage power setting for each zone
- One touch power setting via DirectSelect
- PowerBoost function for all zones

Design:
- Black ceramic glass with stainless steel slimline side profile and bevelled ceramic front and rear
- Electronic sensor-touch control with DirectSelect
- 7 segment LED display for each cooking zone
- Dual function audible timer
  - Automatic timer for each cooking zone and independent kitchen timer

Automatic pot detection
- Minimum pot size on FlexInduction zone 90 mm
- PowerManagement function

Cleaning:
- WipeProtection
- Spill protection

Safety:
- Child lock function
- Automatic safety switch-off
- 2 stage residual heat indicator
- Cooling fan

Technical information:
- 7.2 kW total connected load
- 220-240 V / 50-60 Hz
- Min. thickness of worktop: 20 mm
- Min. thickness of worktop over oven: 30 mm

Appliance dimensions (WxD):
- 816 x 527 mm

Cut-out dimensions (WxD):
- 750-780 x 490-500 mm

* Please note the built-in ventilation requirements for induction cooktops on page 86

Optional accessories:
- HEZ390040 4-pc cookware set
- HEZ390011 Stainless steel roaster
- HEZ390090 Stainless steel wok

PREMIUM

PIL875N14E

80 cm Induction Cooktop

Heating functions:
- 4 Induction cooking zones:
  - Front left: Ø 210 mm 2.2-3.3 kW with PowerBoost
  - Rear left: Ø 145mm 1.4-1.8 kW with PowerBoost
  - Rear centre: Ø 280 mm 2.4-3.6 kW with PowerBoost
  - Front right: Ø 145 mm 1.4-1.8 kW with PowerBoost
- 17 stage power setting for each zone
- One touch power setting via DirectSelect
- PowerBoost function for all zones

Design:
- Black ceramic glass with stainless steel slimline side profile and bevelled ceramic front and rear
- Electronic sensor-touch control with DirectSelect
- 7 segment LED display for each cooking zone
- Dual function audible timer
  - Automatic timer for each cooking zone and independent kitchen timer
- Automatic pot detection
- PowerManagement function

Cleaning:
- WipeProtection
- Spill protection

Safety:
- Child lock function
- Automatic safety switch-off
- 2 stage residual heat indicator
- Cooling fan

Technical information:
- 7.2 kW total connected load
- 220-240 V / 50-60 Hz
- Min. thickness of worktop: 20 mm
- Min. thickness of worktop over oven: 30 mm

Appliance dimensions (WxD):
- 816 x 527 mm

Cut-out dimensions (WxD):
- 750-780 x 490-500 mm

* Please note the built-in ventilation requirements for induction cooktops on page 86

Optional accessories:
- HEZ390040 4-pc cookware set
- HEZ390090 Stainless steel wok

PREMIUM

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.



PIN675N14E

60 cm FlexInduction Cooktop

Heating functions:
- 4 Induction cooking zones including 1 FlexInduction zone:
  - Left:
    Ø 200-400 mm
    3.3-3.6 kW with PowerBoost
  - Front right:
    Ø 210 mm
    2.2-3.3 kW with PowerBoost
  - Rear right:
    Ø 145 mm
    1.4-1.8 kW with PowerBoost
- 17 stage power setting for each zone
- One touch power setting via DirectSelect
- PowerBoost function for all zones

Design:
- Black ceramic glass with stainless steel slimline side profile and bevelled ceramic front and rear
- Electronic sensor-touch control with DirectSelect
- 7 segment LED display for each cooking zone
- Dual function audible timer
  - Automatic timer for each cooking zone and independent kitchen timer

Automatic pot detection
- Minimum pot size on FlexInduction zone 90 mm
- PowerManagement function

Cleaning:
- WipeProtection
- Spill protection

Safety:
- Child lock function
- Automatic safety switch-off
- 2 stage residual heat indicator
- Cooling fan

Technical information:
- 7.2 kW total connected load
- 220-240 V / 50-60 Hz
- Min. thickness of worktop: 20 mm
- Min. thickness of worktop over oven: 30 mm

Appliance dimensions (WxD):
- 606 x 527 mm

Cut-out dimensions (WxD):
- 560 x 490-500 mm

* Please note the built-in ventilation requirements for induction cooktops on page 86

Optional accessories:
- HEZ390040 4-pc cookware set
- HEZ390011 Stainless steel roaster
- HEZ390090 Stainless steel wok

PREMIUM



PIE775N14E

70 cm Induction Cooktop

Heating functions:
- 4 Induction cooking zones:
  - Front left:
    Ø 180 mm
    1.8-2.5 kW with PowerBoost
  - Rear left:
    Ø 210 mm
    2.2-3.3 kW with PowerBoost
  - Front right:
    Ø 210 mm
    2.2-3.3 kW with PowerBoost
  - Rear right:
    Ø 145 mm
    1.4-1.8 kW with PowerBoost
- 17 stage power setting for each zone
- One touch power setting via DirectSelect
- PowerBoost function for all zones

Design:
- Black ceramic glass with stainless steel slimline side profile and bevelled ceramic front and rear
- Electronic sensor-touch control with DirectSelect
- 7 segment LED display for each cooking zone
- Dual function audible timer
  - Automatic timer for each cooking zone and independent kitchen timer
- Automatic pot detection
- PowerManagement function

Cleaning:
- WipeProtection
- Spill protection

Safety:
- Child lock function
- Automatic safety switch-off
- 2 stage residual heat indicator
- Cooling fan

Technical information:
- 7.2 kW total connected load
- 220-240 V / 50-60 Hz
- Min. thickness of worktop: 20 mm
- Min. thickness of worktop over oven: 30 mm

Appliance dimensions (WxD):
- 710 x 527 mm

Cut-out dimensions (WxD):
- 560 x 490-500 mm
- Fits cut-out for 60 cm cooktops

* Please note the built-in ventilation requirements for induction cooktops on page 86

Optional accessories:
- HEZ390040 4-pc cookware set
- HEZ390090 Stainless steel wok

PREMIUM

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.



PIE675N14E

60 cm Induction Cooktop

Heating functions:
- 4 Induction cooking zones:
  - Front left:
    Ø 180 mm
    1.8-2.5 kW with PowerBoost
  - Rear left:
    Ø 210 mm
    2.2-3.3 kW with PowerBoost
  - Front right:
    Ø 210 mm
    2.2-3.3 kW with PowerBoost
  - Rear right:
    Ø 145 mm
    1.4-1.8 kW with PowerBoost
- 17 stage power setting for each zone
- One touch power setting via DirectSelect
- PowerBoost function for all zones

Design:
- Black ceramic glass with stainless steel slimline side profile and bevelled ceramic front and rear
- Electronic sensor-touch control with DirectSelect
- 7 segment LED display for each cooking zone
- Dual function audible timer
  - Automatic timer for each cooking zone and independent kitchen timer
- Automatic pot detection
- PowerManagement function

Cleaning:
- WipeProtection
- Spill protection

Safety:
- Child lock function
- Automatic safety switch-off
- 2 stage residual heat indicator
- Cooling fan

Technical information:
- 7.2 kW total connected load
- 220-240 V / 50-60 Hz
- Min. thickness of worktop: 20 mm
- Min. thickness of worktop over oven: 30 mm

Appliance dimensions (WxD):
- 606 x 527 mm

Cut-out dimensions (WxD):
- 560 x 490-500 mm

* Please note the built-in ventilation requirements for induction cooktops on page 86

Optional accessories:
- HEZ390040 4-pc cookware set
- HEZ390090 Stainless steel wok

LIFESTYLE



PIE651T14E

60 cm Induction Cooktop

Heating functions:
- 4 Induction cooking zones:
  - Front left:
    Ø 180 mm
    1.8-2.5 kW with PowerBoost
  - Rear left:
    Ø 210 mm
    2.2-3.3 kW with PowerBoost
  - Front right:
    Ø 210 mm
    2.2-3.3 kW with PowerBoost
  - Rear right:
    Ø 145 mm
    1.4-1.8 kW with PowerBoost
- 17 stage power setting for each zone
- PowerBoost function for all zones

Design:
- Black ceramic glass with bevelled ceramic front and sides
- Electronic TouchControl +/-
- 7 segment LED display for each cooking zone
- Dual function audible timer
  - Automatic timer for each cooking zone and independent kitchen timer
- Automatic pot detection
- PowerManagement function

Cleaning:
- Spill protection

Safety:
- Child lock function
- Automatic safety switch-off

Technical information:
- 7.2 kW total connected load
- 220-240 V / 50-60 Hz
- Min. thickness of worktop: 20 mm
- Min. thickness of worktop over oven: 30 mm

Appliance dimensions (WxD):
- 592 x 522 mm

Cut-out dimensions (WxD):
- 560 x 490-500 mm

* Please note the built-in ventilation requirements for induction cooktops on page 86

Optional accessories:
- HEZ390040 4-pc cookware set
- HEZ390090 Stainless steel wok

LIFESTYLE

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.



PIL615R14E

60 cm Induction Cooktop

Heating functions:
- 3 Induction cooking zones:
  - Left:
    Ø 280 mm
    2.4-3.6 kW with PowerBoost
  - Front right:
    Ø 210 mm
    2.2-3.3 kW with PowerBoost
  - Rear right:
    Ø 145 mm
    1.4-1.8 kW with PowerBoost
- 17 stage power setting for each zone
- PowerBoost function for all zones

Design:
- Black ceramic frameless glass
- Electronic sensor-touch control with EasyQuattro
- 7 segment LED display for each cooking zone
- Dual function audible timer
  - Automatic timer for each cooking zone and independent kitchen timer
- Automatic pot detection
- PowerManagement function

Cleaning:
- Spill protection

Safety:
- Child lock function
- Automatic safety switch-off
- Residual heat indicator
- Cooling fan

Technical information:
- 7.2 kW total connected load
- 220-240 V / 50-60 Hz
- Min. thickness of worktop: 20 mm
- Min. thickness of worktop over oven: 30 mm

Appliance dimensions (WxD):
- 592 x 522 mm

Cut-out dimensions (WxD):
- 560 x 490 mm

* Please note the built-in ventilation requirements for induction cooktops on page 86

Optional accessories:
- HEZ390040 4-pc cookware set
- HEZ390090 Stainless steel wok

CLASSIC

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

Ceramic cooktops

With their electronic touch controls and flexible cooking zones, Bosch ceramic cooktops combine great looks with smart function and design. The smooth ceramic glass cooktop surface is tough and durable as well as being practical and easy-to-clean.

Design

Dual circuit cooking zone
Available on selected ceramic cooktops, this energy-saving feature allows you to select a smaller cook zone for small pans, and a larger zone for larger pans.

Extendable zone
Selected cooking zones can be extended giving you a much larger area to accommodate big saucepans, casserole and other special cooking dishes.

Safety

Automatic electronic boil start
The automatic electronic boil start heats the hotplate using the highest heat setting and then reverts down to the simmer setting you have previously selected, reducing the risk of boil overs.

Convenience

Quick-Therm
For improved control and flexibility, heat is delivered to the cooking zone in approximately three seconds. This feature is quicker than standard ceramic zones or electric-sealed plates.

Ceramic cooktops

PKC875N14A

80 cm Ceramic Cooktop

Heating functions:
- 4 Quick-Therm ceramic cooking zones including 2 dual circuit zones and 1 dual circuit zone plus oval zone:
  - Front left:
    Ø 120-210 mm
    0.75-2.2 kW
  - Rear left:
    Ø 145 mm
    1.2 kW
  - Rear centre:
    Ø 180-230 mm
    1.5-2.40 kW
  - Front right:
    Ø 145-200-350 mm
    0.90-1.75-2.1 kW
- 17 stage power setting for each zone
- One touch power setting via DirectSelect
- Automatic electronic boil start

Design:
- Black ceramic glass with stainless steel slimline side profile and bevelled ceramic front and rear
- Electronic sensor-touch control with DirectSelect
- 7 segment LED display for each cooking zone
- Dual function audible timer
  - Automatic timer for each cooking zone and independent kitchen timer
- Power on indicator

Cleaning:
- WipeProtection
- Spill protection

Safety:
- Child lock function
- Automatic safety switch-off
- 2 stage residual heat indicator

Technical information:
- 7.9 kW total connected load
- 220-240 V / 50-60 Hz
- Min. thickness of worktop: 20 mm
- Min. thickness of worktop over oven: 20 mm

Appliance dimensions (WxD):
- 816 x 527 mm

Cut-out dimensions (WxD):
- 780 x 500 mm

Optional accessories:
- HEZ390040 4-pc cookware set
- HEZ390090 Stainless steel wok

LIFESTYLE

PKG775N14A

70 cm Ceramic Cooktop

Heating functions:
- 4 Quick-Therm ceramic cooking zones including 2 dual circuit zones:
  - Front left:
    Ø 145 mm
    1.2 kW
  - Rear left:
    Ø 120-180 mm
    0.80-2.0 kW
  - Front right:
    Ø 120-210 mm
    0.75-2.2 kW
  - Rear right:
    Ø 145 mm
    1.2 kW
- 17 stage power setting for each zone
- One touch power setting via DirectSelect
- Automatic electronic boil start

Design:
- Black ceramic glass with stainless steel slimline side profile and bevelled ceramic front and rear
- Electronic sensor-touch control with DirectSelect
- 7 segment LED display for each cooking zone
- Dual function audible timer
  - Automatic timer for each cooking zone and independent kitchen timer
- Power on indicator

Cleaning:
- WipeProtection
- Spill protection

Safety:
- Child lock function
- Automatic safety switch-off
- 2 stage residual heat indicator

Technical information:
- 6.6 kW total connected load
- 220-240 V / 50-60 Hz
- Min. thickness of worktop: 20 mm
- Min. thickness of worktop over oven: 20 mm

Appliance dimensions (WxD):
- 710 x 527 mm

Cut-out dimensions (WxD):
- 560-640 x 490-500 mm
- Fits cut-out for 60 cm cooktops

Optional accessories:
- HEZ390040 4-pc cookware set
- HEZ390090 Stainless steel wok

LIFESTYLE

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.



PKN675N14A

60 cm Ceramic Cooktop

Heating functions:
- 4 Quick-Therm ceramic cooking zones including 1 dual circuit zone and 1 oval circuit zone:
  - Front left:
    Ø 145 mm
    1.2 kW
  - Rear left:
    Ø 170-265 mm
    1.8-2.6 kW
  - Front right:
    Ø 120-210 mm
    0.75-2.2 kW
  - Rear right:
    Ø 145 mm
    1.2 kW
- 17 stage power setting for each zone
- One touch power setting via DirectSelect
- Automatic electronic boil start

Design:
- Black ceramic glass with stainless steel slimline side profile and bevelled ceramic front and rear
- Electronic sensor-touch control with DirectSelect
- 7 segment LED display for each cooking zone
- Dual function audible timer
  - Automatic timer for each cooking zone and independent kitchen timer
- Power on indicator

Cleaning:
- WipeProtection
- Spill protection

Safety:
- Child lock function
- Automatic safety switch-off
- 2 stage residual heat indicator

Technical information:
- 7.2 kW total connected load
- 220-240 V / 50-60 Hz
- Min. thickness of worktop: 20 mm
- Min. thickness of worktop over oven: 20 mm

Appliance dimensions (WxD):
- 606 x 527 mm

Cut-out dimensions (WxD):
- 560 x 500 mm

Optional accessories:
- HEZ390040 4-pc cookware set
- HEZ390090 Stainless steel wok

LIFESTYLE



PKF645Q14A

60 cm Ceramic Cooktop

Heating functions:
- 4 Quick-Therm ceramic cooking zones including 1 dual circuit zone:
  - Front left:
    Ø 145 mm
    1.2 kW
  - Rear left:
    Ø 180 mm
    2.0 kW
  - Front right:
    Ø 120-210 mm
    0.75-2.2 kW
  - Rear right:
    Ø 145 mm
    1.2 kW
- 17 stage power setting for each zone

Design:
- Black ceramic glass with stainless steel frame
- Electronic sensor-touch control with EasyQuattro
- 7 segment LED display for each cooking zone
- Dual function audible timer
  - Automatic timer for each cooking zone and independent kitchen timer
- Power on indicator

Safety:
- Child lock function
- Automatic safety switch-off
- Residual heat indicator

Technical information:
- 6.6 kW total connected load
- 220-240 V / 50-60 Hz
- Min. thickness of worktop: 20 mm
- Min. thickness of worktop over oven: 20 mm

Appliance dimensions (WxD):
- 575 x 505 mm

Cut-out dimensions (WxD):
- 560 x 490 mm

Optional accessories:
- HEZ390040 4-pc cookware set
- HEZ390090 Stainless steel wok

CLASSIC

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.



PKE645C14A

60 cm Ceramic Cooktop

Heating functions:
- 4 Quick-Therm ceramic cooking zones:
  - Front left: Ø 145 mm 1.2 kW
  - Rear left: Ø 210 mm 2.2 kW
  - Front right: Ø 180 mm 2.0 kW
  - Rear right: Ø 145 mm 1.2 kW
- 9 stage power setting for each zone

Design:
- Black ceramic glass with stainless steel frame
- Rotary control knob for each zone

Safety:
- Residual heat indicator

Technical information:
- 6.6 kW total connected load
- 220-240 V / 50-60 Hz
- Min. thickness of worktop: 20 mm
- Min. thickness of worktop over oven: 20 mm

Appliance dimensions (WxD):
- 576 x 518 mm

Cut-out dimensions (WxD):
- 560 x 500 mm

Optional accessories:
- HEZ390040 4-pc cookware set
- HEZ390090 Stainless steel wok

CLASSIC

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

German Engineered

Gas cooktops

PREMIUM

★ ★ ★ ★ ★

Premium models with exceptional cutting-edge features and extras. With a tempered glass base, these cooktops are complemented by a frameless finish. Available with up to five burners, these cooktops are available in 60 or 70 cm.

LIFESTYLE

★ ★ ★ ★ ★

Mid-range models with a broad range of extra features and benefits. With a stainless steel base, all models offer a flame failure device. Other features include up to six burners, a dedicated wok burner for high intensity cooking and cast-iron pan supports.

CLASSIC

★ ★ ★ ★ ★

Simple and practical models offering Bosch build quality and value for money. Excellent four burner cooktops, including features such as electronic ignition, wok-style burners and a flame failure device.

Gas cooktops

Design

Slim metal profile
Finished in black tempered glass, our Bosch Premium gas cooktops provide a stylish and sleek look.

Control dials
The control dials match the design of our range of ovens so that you can perfectly coordinate your appliances.

Cast-iron supports
Cast-iron pan supports are both stylish and highly durable, providing solid and robust support for your cooking pans.

Safety

Flame failure device
For added safety, Bosch gas cooktops feature a flame failure device. This feature stops the supply of gas to the burners if the flame is extinguished.

Convenience

High-power wok-style burner
Selected gas cooktop models feature a powerful wok-style burner, which provides up to 18 Mj/h. Suitable for use with flat-based pans or with a wok using the wok ring provided.

Flexible burners
All our gas cooktops feature different burner combinations for greater flexibility. With wok, high-speed, standard and economy burners, you can cook more efficiently with the burner most suited to the size of the pan.

One-hand ignition
Push and turn the ergonomically designed control knobs and the gas ignites automatically. As well as offering the convenience of only using one-hand, there is also no separate ignition button to clean.

Features vary depending on models. Please check individual product specifications.

PPQ716B21A

70 cm Tempered Glass Gas Cooktop

70 cm

Heating functions:
- 5 burner gas cooktop including triple flame wok burner:
  - Economy burner - front left: 3.6 Mj/h
  - Standard burner - rear left: 6.5 Mj/h
  - Wok burner - centre: 16 Mj/h
  - Standard burner - front right: 6.5 Mj/h
  - High-speed burner - rear right: 10.8 Mj/h

Design:
- Black tempered frameless glass
- 5 burners including 1 wok burner
- One hand electronic ignition
- Individual cast iron trivets with rubber feet
- Enamelled cast iron burner caps

Safety:
- Flame failure fitted to each burner

Supplied accessories:
- 1 wok ring support
- 1 cross support for espresso
- LPG conversion kit

Technical information:
- 43.4 Mj/h total connected load
- 240 V / 50Hz
- Min. thickness of worktop: 30 mm

Appliance dimensions (WxD):
- 710 x 520 mm

Cut-out dimensions (WxD):
- 560 x 480-490 mm
- Fits cut-out for 60 cm cooktops

* Please note the built-in ventilation requirements for gas cooktops on page 87

PREMIUM

PPH616B21A

60 cm Tempered Glass Gas Cooktop

60 cm

Heating functions:
- 4 burner gas cooktop including dual flame wok burner:
  - Standard burner - front left: 6.5 Mj/h
  - Standard burner - rear left: 6.5 Mj/h
  - Economy burner - front right: 3.6 Mj/h
  - Wok burner - rear right: 12 Mj/h

Design:
- Black tempered frameless glass
- 4 burners including 1 wok burner
- One hand electronic ignition
- Individual cast iron trivets with rubber feet
- Enamelled cast iron burner caps

Safety:
- Flame failure fitted to each burner

Supplied accessories:
- 1 wok ring support
- 1 cross support for espresso
- LPG conversion kit

Technical information:
- 28.6 Mj/h total connected load
- 240 V / 50Hz
- Min. thickness of worktop: 30 mm

Appliance dimensions (WxD):
- 590 x 520 mm

Cut-out dimensions (WxD):
- 560 x 480-490 mm

* Please note the built-in ventilation requirements for gas cooktops on page 87

PREMIUM

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

PCT915B9TA

90 cm Gas Cooktop

Heating functions:
- 6 burner gas cooktop including 2 dual flame wok burners:
  - Wok burner - front left: 18 Mj/h
  - Economy burner - rear left: 3.6 Mj/h
  - Economy burner - front centre: 3.6 Mj/h
  - Standard burner - rear centre: 6.5 Mj/h
  - Wok burner - front right: 18 Mj/h
  - Standard burner - rear right: 6.5 Mj/h

Design:
- Stainless steel
- 6 burners including 2 wok burners
- One hand electronic ignition
- 3-pc cast iron trivets with rubber feet
- Enamelled cast iron burner caps

Safety:
- Flame failure fitted to each burner

Supplied accessories:
- 1 wok ring support
- 1 cross support for espresso
- LPG conversion kit

Technical information:
- 56.2 Mj/h total connected load
- 240 V / 50 Hz
- Min. thickness of worktop: 30 mm

Appliance dimensions (WxD):
- 915 x 520 mm

Cut-out dimensions (WxD):
- 850 x 490-500 mm

* Please note the built-in ventilation requirements for gas cooktops on page 87

LIFESTYLE

PCR915B91A

90 cm Gas Cooktop

Heating functions:
- 5 burner gas cooktop including 1 dual flame wok burner:
  - High speed burner - front left: 10.8 Mj/h
  - Economy burner - rear left: 3.6 Mj/h
  - Wok burner - centre: 18 Mj/h
  - Standard burner - front right: 6.5 Mj/h
  - Standard burner - rear right: 6.5 Mj/h

Design:
- Stainless steel
- 5 burners including 1 wok burner
- One hand electronic ignition
- 3-pc cast iron trivets with rubber feet
- Enamelled cast iron burner caps

Safety:
- Flame failure fitted to each burner

Supplied accessories:
- 1 wok ring support
- 1 cross support for espresso
- LPG conversion kit

Technical information:
- 45.4 Mj/h total connected load
- 240 V / 50 Hz
- Min. thickness of worktop: 30 mm

Appliance dimensions (WxD):
- 915 x 520 mm

Cut-out dimensions (WxD):
- 850 x 490-500 mm

* Please note the built-in ventilation requirements for gas cooktops on page 87

LIFESTYLE

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

PCW915B90A

90 cm Gas Cooktop

Heating functions:
- 3 burner gas cooktop including 2 dual flame wok burners:
  - Wok burner - left: 18 Mj/h
  - Standard burner - centre: 6.5 Mj/h
  - Wok burner - right: 18 Mj/h

Design:
- Stainless steel
- 3 burners including 2 wok burners
- One hand electronic ignition
- 3-pc cast iron trivets with rubber feet
- Enamelled cast iron burner caps

Safety:
- Flame failure fitted to each burner

Supplied accessories:
- 2 wok ring support
- 1 cross support for espresso
- LPG conversion kit

Technical information:
- 42.5 Mj/h total connected load
- 240 V / 50 Hz
- Min. thickness of worktop: 30 mm

Appliance dimensions (WxD):
- 915 x 520 mm

Cut-out dimensions (WxD):
- 850 x 490-500 mm

* Please note the built-in ventilation requirements for gas cooktops on page 87

LIFESTYLE

PCQ715B90A

70 cm Gas Cooktop

Heating functions:
- 5 burner gas cooktop including 1 triple flame wok burner:
  - Economy burner - front left: 3.6 Mj/h
  - Standard burner - rear left: 6.5 Mj/h
  - Wok burner - centre: 16 Mj/h
  - Standard burner - front right: 6.5 Mj/h
  - High speed burner - rear right: 10.8 Mj/h

Design:
- Stainless steel
- 5 burners including 1 wok burner
- One hand electronic ignition
- 2-pc cast iron trivets with rubber feet
- Enamelled cast iron burner caps

Safety:
- Flame failure fitted to each burner

Supplied accessories:
- 1 wok ring support
- 1 cross support for espresso
- LPG conversion kit

Technical information:
- 43.4 Mj/h total connected load
- 240 V / 50 Hz
- Min. thickness of worktop: 30 mm

Appliance dimensions (WxD):
- 702 x 520 mm

Cut-out dimensions (WxD):
- 560 x 480-490 mm
- Fits cut-out for 60 cm cooktops

* Please note the built-in ventilation requirements for gas cooktops on page 87

LIFESTYLE

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

PCI815B91A

75 cm Gas Cooktop

Heating functions:
- 4 burner gas cooktop including 1 triple flame wok burner:
  - Wok burner - left: 16 Mj/h
  - Economy burner - front centre: 3.6 Mj/h
  - Standard burner - rear centre: 6.5 Mj/h
  - High speed burner - rear right: 10.8 Mj/h

Design:
- Stainless steel
- 4 burners including 1 wok burner
- One hand electronic ignition
- 2-pc cast iron trivets with rubber feet
- Enamelled cast iron burner caps

Safety:
- Flame failure fitted to each burner

Supplied accessories:
- 1 wok ring support
- 1 cross support for espresso
- LPG conversion kit

Technical information:
- 36.9 Mj/h total connected load
- 240 V / 50 Hz
- Min. thickness of worktop: 30 mm

Appliance dimensions (WxD):
- 762 x 520 mm

Cut-out dimensions (WxD):
- 560 x 480-490 mm
- Fits cut-out for 60 cm cooktops

* Please note the built-in ventilation requirements for gas cooktops on page 87

LIFESTYLE

PCH615B9TA

60 cm Gas Cooktop

Heating functions:
- 4 burner gas cooktop including 1 dual flame wok burner:
  - Wok burner - front left: 18 Mj/h
  - Standard burner - rear left: 6.5 Mj/h
  - Economy burner - front right: 3.6 Mj/h
  - High speed burner - rear right: 10.8 Mj/h

Design:
- Stainless steel
- 4 burners including 1 wok burner
- One hand electronic ignition
- 2-pc cast iron trivets with rubber feet
- Enamelled cast iron burner caps

Safety:
- Flame failure fitted to each burner

Supplied accessories:
- 1 wok ring support
- 1 cross support for espresso
- LPG conversion kit

Technical information:
- 38.9 Mj/h total connected load
- 240 V / 50 Hz
- Min. thickness of worktop: 30 mm

Appliance dimensions (WxD):
- 582 x 520 mm

Cut-out dimensions (WxD):
- 560 x 480-490 mm

* Please note the built-in ventilation requirements for gas cooktops on page 87

LIFESTYLE

PBH615B9TA

60 cm Gas Cooktop

Heating functions:
- 4 burner gas cooktop including 1 dual flame wok burner
  - Wok burner - front left: 18 Mj/h
  - Standard burner - rear left: 6.5 Mj/h
  - Economy burner - front right: 3.6 Mj/h
  - Standard burner - rear right: 6.5 Mj/h

Design:
- Stainless steel
- 4 burners including 1 wok burner
- One hand electronic ignition
- 2-pc cast iron trivets with rubber feet
- Enamelled cast iron burner caps

Safety:
- Flame failure fitted to each burner

Supplied accessories:
- 1 wok ring support
- LPG conversion kit

Technical information:
- 34.6 Mj/h total connected load
- 240 V / 50 Hz
- Min. thickness of worktop: 30 mm

Appliance dimensions (WxD):
- 580 x 510 mm

Cut-out dimensions (WxD):
- 560 x 480-490 mm

* Please note the built-in ventilation requirements for gas cooktops on page 88

LIFESTYLE

PBH615B80A

60 cm Gas Cooktop

Heating functions:
- 4 burner gas cooktop including 1 dual flame wok burner
  - Wok burner - front left: 12 Mj/h
  - Standard burner - rear left: 6.5 Mj/h
  - Economy burner - front right: 3.6 Mj/h
  - Standard burner - rear right: 6.5 Mj/h

Design:
- Stainless steel
- 4 burners including 1 wok burner
- One hand electronic ignition
- 2-pc enamelled steel trivets with rubber feet
- Enamelled cast iron burner caps

Safety:
- Flame failure fitted to each burner

Supplied Accessories:
- 1 wok ring support
- LPG conversion kit

Technical information:
- 28.6 Mj/h total connected load
- 240 V / 50 Hz
- Min. thickness of worktop: 30 mm

Appliance Dimensions (WxD):
- 580 x 510 mm

Cut-out Dimensions (WxD):
- 560 x 480-490 mm

* Please note the built-in ventilation requirements for gas cooktops on page 88

CLASSIC

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

German Engineered

Rangehoods

PREMIUM

★ ★ ★ ★ ★

The premium model offers exceptional cutting-edge features and extras. Beautifully functional, perfect in form, it is designed to be the focal point of your kitchen. The automatic run-on facility makes sure that any remaining vapours and odours are whisked away, while the saturation indicator warns you when it is time to clean the filters. Includes a maximum extraction rate of 650 m^3/h.

LIFESTYLE

★ ★ ★ ★ ★

Mid-range models with a broad range of extra features and benefits. Stylish and practical yet quiet. Selected models are electronically controlled and feature electronic displays with soft-touch control keys. The intensive setting is ideal for intensive cooking such as stir-frys. Includes a maximum extraction rate of up to 1000 m^3/h.

CLASSIC

★ ★ ★ ★ ★

Simple and practical models offering Bosch build quality and value for money. Controlled with neat and concealed switches or sliding controls offering a maximum extraction rate of up to 400 m^3/h.

Rangehoods

Design

Worktop lighting
Integrated halogen lighting ensures that the cooking area is clearly illuminated. They are more efficient than standard lights and are designed to last longer. Some models also feature SoftLight with a dimmer function.

Ducted operation
Ducting is the most effective method of extraction if the hood can be sited on an outside wall, or if an outside wall can be reached via ducting.

Recirculated-air operation
If an outside wall cannot be reached the rangehood can be set up for recirculated-air operation. Air is drawn into the appliance through the filters to neutralise odours and remove grease particles. The cleaned air is then returned to the kitchen. A carbon filter is necessary for recirculated-air operation. (optional accessory)

Whisper Quiet
Apart from the aesthetic appeal, one of the most important factors when purchasing a rangehood should be the noise level. At a minimum of just 41 dB*, Bosch offers a range of very quiet rangehoods.

*Applies to DWB09E750A

Convenience

Variable power settings
All Bosch rangehoods feature variable power settings, which can be set to effectively remove odours, smoke and moisture caused by cooking. Many models also feature an intensive extraction setting, which gives an extra boost to the performance when required.

Residual shutdown
Selected Bosch rangehoods automatically continue to run-on for approximately 10 minutes after normal operation to ensure remaining odours are removed. The rangehood then automatically switches off.

Automatic power switch-back
When the intensive setting is selected, it can be set to automatically revert to a pre-defined setting after a short period of time.

Electronic saturation indicator
For maximum extraction efficiency, an illuminated light indicates when the filter needs cleaning. For hassle-free cleaning, the one-piece filter can be loaded into your Bosch dishwasher.

Dishwasher-safe metal filters
Bosch metal filters are designed for easy removal and re-fitting and including up to 10 layers of interwoven grids to retain grease. For easy cleaning, Bosch filters can be safely loaded into any Bosch dishwasher for sparkling clean results.

Features vary depending on models. Please check individual product specifications.

At Bosch, ducted and recirculation systems smell the same. Of nothing.

No matter which operating mode you opt for, Bosch offers all shapes and design lines in ducted and recirculation versions.



Ducted extraction
Ducting out is the most effective method of extraction if the hood can be sited on an outside wall, or an outside wall can be reached via ducting. All our extractors are now standardised to facilitate a 150 mm diameter outlet for maximum performance, although smaller ducting can be used if required. Please see our installation guide for further advice on best practise installation.



Recirculation kit
Odours are extracted and filtered, then purified air is returned to the room. The kit comprises of a carbon filter and all components needed to ensure that odour free air is returned into the kitchen. To maintain performance, the carbon filter should be replaced on a regular basis. A recirculation kit needs to be purchased as a separate accessory.

DWK09E650P

90 cm Wall-Mounted Stainless Steel Canopy Rangehood

90 cm | Whisper quiet | 650 m³/h Extraction capacity

Power functions:
- 3 power settings plus intensive setting
- Intensive setting with automatic switch back to previous setting
- 650 m³/h maximum extraction capacity
- Whisper quiet: 48 dB at 240 m³/h (150 mm ducted)
- Powerful single motor with twin fan
- Dual layer metal grease filters

Design:
- Stainless steel
- Electronic controls with low lift push buttons
- 7 segment LED display
- 3 x 20 W halogen lights
- On/Off main switch control
- On/Off indicator lights
- Ducted and recirculated air operation

Cleaning:
- 3 x dishwasher safe metal grease filters

Technical information:
- 270 W total connected load
- 220-240 V / 50 Hz
- 120 and 150 mm tube connection diameter

Appliance Dimensions (HxWxD):
Ducted:
- 865-1153 x 900 x 417 mm

Recirculated:
- 865-1263 x 900 x 417 mm

Optional Accessory:
- DHZ5345 Recirculation kit

PREMIUM ★ ★ ★ ★ ★

DWA09E750A

90 cm Wall-Mounted Stainless Steel Canopy Rangehood with Glass Screen

90 cm | Whisper quiet | 700 m³/h Extraction capacity

Power functions:
- 3 power settings plus intensive setting
- Intensive setting with automatic switch back to previous setting
- 700 m³/h maximum extraction capacity
- Whisper quiet: 47 dB at 240 m³/h (150 mm ducted)
- Powerful single motor with twin fan
- Dual layer metal grease filter

Design:
- Stainless steel and glass
- Electronic controls with low lift push buttons
- 7 segment LED display
- 2 x 20 W halogen lights
- On/Off main switch control
- On/Off indicator lights
- Ducted and recirculated air operation

Cleaning:
- 1 x dishwasher safe metal grease filter

Technical information:
- 260 W total connected load
- 220-240 V / 50 Hz
- 120 and 150 mm tube connection diameter

Appliance Dimensions (HxWxD):
Ducted:
- 638-954 x 900 x 540 mm

Recirculated:
- 638-1064 x 900 x 540 mm

Optional Accessory:
- DHZ5325 Recirculation kit

LIFESTYLE ★ ★ ★ ★ ★

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

DWA09E850A

90 cm Wall-Mounted Stainless Steel Canopy Rangehood with Glass Screen

90 cm | Very quiet | 850 m³/h Extraction capacity

Power functions:
- 3 power settings plus intensive setting
- Intensive setting with automatic switch back to previous setting
- 850 m³/h maximum extraction capacity
- Very quiet: 51 dB at 320 m³/h (150 mm ducted)
- Powerful single motor with twin fan
- Dual layer metal grease filter

Design:
- Stainless steel and glass
- Electronic controls with low lift push buttons
- 7 segment LED display
- 2 x 20 W
- On/Off main switch control
- On/Off indicator lights
- Ducted and recirculated air operation

Cleaning:
- 1 x dishwasher safe metal grease filter

Technical information:
- 300 W total connected load
- 220-240 V / 50 Hz
- 120 and 150 mm tube connection diameter

Appliance Dimensions (HxWxD):

Ducted:
- 634-954 x 900 x 540 mm

Recirculated:
- 634-1064 x 900 x 540 mm

Optional Accessory:
- DHZ5325 Recirculation kit

LIFESTYLE ★ ★ ★ ★ ☆

DWB09T150A

90 cm Wall-Mounted Stainless Steel Canopy Rangehood

90 cm | Very quiet | 1000 m³/h Extraction capacity

Power functions:
- 3 power settings plus intensive setting
- Intensive setting with automatic switch back to previous setting
- Automatic sensor function
- Residual shutdown with automatic run on time 1-10 min
- 1000 m³/h maximum extraction capacity
- Very quiet: 53 dB at 330 m³/h (150 mm ducted)
- Sound insulation mats
- Powerful single motor with twin fan
- Rim ventilation system
- Dual layer metal grease filters

Design:
- Stainless steel
- Electronic controls with low lift push buttons
- 7 segment LED display
- 3 x 20 W halogen soft lights with dimmer
- On/Off main switch control
- On/Off indicator lights
- Saturation indicator for filters
- Ducted and recirculated air operation

Cleaning:
- 3 x dishwasher safe metal grease filter

Technical information:
- 415 W total connected load
- 220-240 V / 50 Hz
- 120 and 150 mm tube connection diameter

Appliance Dimensions (HxWxD):

Ducted:
- 628-954 x 900 x 500 mm

Recirculated:
- 628-1064 x 900 x 500 mm

Optional Accessory:
- DHZ5345 Recirculation kit

LIFESTYLE ★ ★ ★ ★ ☆

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

DWB09E750A

90 cm Wall-Mounted Stainless Steel Canopy Rangehood

90 cm | Whisper quiet | 700 m³/h Extraction capacity

Power functions:
- 3 power settings plus intensive setting
- Intensive setting with automatic switch back to previous setting
- 700 m³/h maximum extraction capacity
- Whisper quiet: 41 dB at 250 m³/h (150 mm ducted)
- Sound insulation mats
- Powerful single motor with twin fan
- Dual layer metal grease filters

Design:
- Stainless steel
- Electronic controls with low lift push buttons
- 7 segment LED display
- 3 x 20 W halogen lights
- On/Off main switch control
- On/Off indicator lights
- Ducted and recirculated air operation

Cleaning:
- 3 x dishwasher safe metal grease filter

Technical information:
- 280 W total connected load
- 220-240 V / 50 Hz
- 120 and 150 mm tube connection diameter

Appliance Dimensions (HxWxD):

Ducted:
- 642-954 x 900 x 500 mm

Recirculated:
- 642-1064 x 900 x 500 mm

Optional Accessory:
- DHZ5345 Recirculation kit

LIFESTYLE ★ ★ ★ ★ ☆

DWW09D650A

90 cm Wall-Mounted Stainless Steel Canopy Rangehood

90 cm | Whisper quiet | 650 m³/h Extraction capacity

Power functions:
- 3 power settings plus intensive setting
- Intensive setting with automatic switch back to previous setting
- 650 m³/h maximum extraction capacity
- Whisper quiet: 43 dB at 260 m³/h (150 mm ducted)
- Sound insulation mats
- Powerful single motor with twin fan
- Dual layer metal grease filters

Design:
- Stainless steel
- Electronic backlit push button controls
- 2 x 25 W halogen lights
- On/Off main switch control
- Ducted and recirculated air operation

Cleaning:
- 3 x dishwasher safe metal grease filter

Technical information:
- 280 W total connected load
- 220-240 V / 50 Hz
- 120 and 150 mm tube connection diameter

Appliance Dimensions (HxWxD):

Ducted:
- 672-954 x 900 x 500 mm

Recirculated:
- 672-1064 x 900 x 500 mm

Optional Accessory:
- DHZ5345 Recirculation kit

LIFESTYLE ★ ★ ★ ★ ☆

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

DWW091451A

90 cm Wall-Mounted Stainless Steel Canopy Rangehood

90 cm | Very quiet | 400 m³/h Extraction capacity

Power functions:
- 3 power settings
- 400 m³/h maximum extraction capacity
- Very quiet: 53 dB at 200 m³/h (120 mm ducted)
- Powerful single motor with twin fan
- Dual layer metal grease filters

Design:
- Stainless steel
- Slide control
- 2 x 40 W lights
- Ducted and recirculated air operation

Cleaning:
- 3 x dishwasher safe metal grease filter

Technical information:
- 260 W total connected load
- 220-240 V / 50 Hz
- 120 mm tube connection diameter

Appliance Dimensions (HxWxD):

Ducted:
- 793-970 x 900 x 500 mm

Recirculated:
- 813-970 x 900 x 500 mm

Optional Accessory:
- DHZ5145 Recirculation kit

CLASSIC

DWW061451A

60 cm Wall-Mounted Stainless Steel Canopy Rangehood

60 cm | Very quiet | 400 m³/h Extraction capacity

Power functions:
- 3 power settings
- 400 m³/h maximum extraction capacity
- Very quiet: 53 dB at 200 m³/h (120 mm ducted)
- Powerful single motor with twin fan
- Dual layer metal grease filters

Design:
- Stainless steel
- Slide control
- 2 x 40 W lights
- Ducted and recirculated air operation

Cleaning:
- 2 x dishwasher safe metal grease filter

Technical information:
- 260 W total connected load
- 220-240 V / 50 Hz
- 120 mm tube connection diameter

Appliance Dimensions (HxWxD):

Ducted:
- 793-970 x 600 x 500 mm

Recirculated:
- 813-970 x 600 x 500 mm

Optional Accessory:
- DHZ5145 Recirculation kit

CLASSIC

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

DHL555BAU

53 cm Integrated Rangehood

53 cm | Very quiet | 650 m³/h Extraction capacity

Power functions:
- 3 power settings plus intensive setting
- 650 m³/h maximum extraction capacity
- Very quiet: 50 dB at 240 m³/h (150 mm ducted)
- Powerful twin motor

Design:
- Steel body with metallic finish
- Slide control
- 2 x 20 W halogen lights
- Ducted and recirculated air operation

Cleaning:
- 2 x dishwasher safe metal grease filter

Technical information:
- 240 W total connected load
- 220-240 V / 50 Hz
- 120 and 150 mm tube connection diameter

Appliance Dimensions (HxWxD):
- 255 x 530 x 380 mm

Built-in Dimensions (HxWxD):
- 255 x 500 x 350 mm

Optional Accessory:
- DHZ7305 Recirculation kit

LIFESTYLE

DHI955FAU

90 cm Slideout Rangehood

90 cm | Whisper quiet | 700 m³/h Extraction capacity

Power functions:
- 3 power settings plus intensive setting
- 700 m³/h maximum extraction capacity
- Whisper quiet: 48 dB at 230 m³/h (150 mm ducted)
- Powerful twin motor

Design:
- Steel body with metallic finish
- Backlit slide control
- 3 x 20 W halogen lights
- On/Off indicator light
- Ducted and recirculated air operation

Cleaning:
- 2 x dishwasher safe metal grease filter

Technical information:
- 240 W total connected load
- 220-240 V / 50 Hz
- 120 and 150 mm tube connection diameter

Appliance Dimensions (HxWxD):
- 475 x 897 x 273 mm

Built-in Dimensions (HxWxD):
- 435 x 556 x 273 mm
- Fits cut-out for 60 cm units

Optional Accessory:
- DHZ4950 Stainless steel finish pelmet
- DHZ4505 Recirculation kit
- DHZ4910 Mounting kit

LIFESTYLE

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

DHI755FAU

70 cm Slideout Rangehood

70 cm | Whisper quiet | 700 m³/h Extraction capacity

Power functions:
- 3 power settings plus intensive setting
- 700 m³/h maximum extraction capacity
- Whisper quiet: 48 dB at 230 m³/h (150 mm ducted)
- Powerful twin motor

Design:
- Steel body with metallic finish
- Backlit slide control
- 2 x 20 W halogen lights
- On/Off indicator light
- Ducted and recirculated air operation

Cleaning:
- 2 x dishwasher safe metal grease filter

Technical information:
- 240 W total connected load
- 220-240 V / 50 Hz
- 120 and 150 mm tube connection diameter

Appliance Dimensions (HxWxD):
- 475 x 697 x 273 mm

Built-in Dimensions (HxWxD):
- 435 x 556 x 273 mm

Optional Accessory:
- DHZ4750 Stainless steel finish pelmet
- DHZ4505 Recirculation kit

LIFESTYLE

DHI645NAU

60 cm Slideout Rangehood

60 cm | Very quiet | 500 m³/h Extraction capacity

Power functions:
- 3 power settings plus intensive setting
- 500 m³/h maximum extraction capacity
- Very quiet: 53 dB at 250 m³/h (150 mm ducted)
- Powerful twin motor

Design:
- Steel body with metallic finish
- Slide control
- 2 x 20 W halogen lights
- On/Off indicator lights
- Ducted and recirculated air operation

Cleaning:
- 2 x dishwasher safe metal grease filter

Technical information:
- 310 W total connected load
- 220-240 V / 50 Hz
- 120 and 150 mm tube connection diameter

Appliance Dimensions (HxWxD):
- 465 x 597 x 273 mm

Built-in Dimensions (HxWxD):
- 435 x 556 x 273 mm

Optional Accessory:
- DHZ4650 Stainless steel finish pelmet
- DHZ3320 White pelmet
- DHZ3350 Metallic pelmet
- DHZ4505 Recirculation kit

LIFESTYLE

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

DHI635KAU

60 cm Slideout Rangehood

60 cm | 400 m³/h Extraction capacity

Power functions:
- 3 power settings
- 400 m³/h maximum extraction capacity
- Powerful single motor

Design:
- Steel body with metallic finish
- 2 concealed controls (power & light)
- 2 x 40 W lights
- Ducted and recirculated air operation

Cleaning:
- 2 x dishwasher safe metal grease filter

Technical information:
- 180 W total connected load
- 220-240 V / 50 Hz
- 100 and 120 mm tube connection diameter

Appliance Dimensions (HxWxD):
- 354 x 598 x 280 mm

Built-in Dimensions (HxWxD):
- 322 x 598 x 260 mm

Optional Accessory:
- DHZ4650 Stainless steel finish pelmet
- DHZ3320 White pelmet
- DHZ3350 Metallic pelmet
- DHZ3405 Recirculation kit

CLASSIC

DHI625NAU

60 cm Slideout Rangehood

60 cm | 300 m³/h Extraction capacity

Power functions:
- 3 power settings
- 300 m³/h maximum extraction capacity
- Powerful single motor

Design:
- Steel body with metallic finish
- 2 concealed controls (power & light)
- 2 x 40 W lights
- Ducted and recirculated air operation

Cleaning:
- 1 x dishwasher safe metal grease filter

Technical information:
- 190 W total connected load
- 220-240 V / 50 Hz
- 100 and 120 mm tube connection diameter

Appliance Dimensions (HxWxD):
- 252 x 598 x 260 mm

Built-in Dimensions (HxWxD):
- 220 x 598 x 280 mm

Optional Accessory:
- DHZ4650 Stainless steel finish pelmet
- DHZ3320 White pelmet
- DHZ3350 Metallic pelmet
- DHZ3105 Recirculation kit

CLASSIC

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.
Note: Model codes subject to change, please confirm with retailer or Bosch Home Appliances.

Accessories

Ovens and cookers

HEZ331000
Baking tray (Pyrolysis proof)
Enamelled baking tray for cakes, biscuits, rolls & bread. Pyrolysis compatible with pyrolytic ovens.

Suits all Bosch 60 cm ovens **except** HBA13B253A, HBC53B550A.

HEZ332000
Universal pan (Pyrolysis proof)
Deep and large enameled pan for juicy fruit flans, pizza, large roasts, bread etc. Can also be used to catch any residual fat or dripping when grilling. Pyrolysis compatible with pyrolytic ovens.

Suits all Bosch 60 cm ovens **except** HBA13B253A, HBC53B550A.



HEZ334000
Wire rack
For all grilling applications.

Suits all Bosch 60 cm ovens **except** HBA13B253A, HBC53B550A.

HEZ327000
Pizza stone
Pizza baking stone with wooden bread paddle. Baking stone is pyrolysis proof.

Suits all Bosch 60 cm ovens.

HEZ390011
Stainless steel roaster
Stainless steel roaster with glass lid, induction suitable.

Suits all Bosch 60 cm ovens **except** HBA13B253A, HBC53B550A. Suits Bosch induction cooktops PIN675N14E, PIN875N14E.

HEZ325000
Split grill tray (Pyrolysis proof)
Designed to be used with either baking tray or universal pan and is ideal for cooking 2 food types on 1 level e.g. roast meat on one side using one half of split grill tray and roast vegetables on other side without split grill tray. Pyrolysis compatible with pyrolytic ovens.

Suits all Bosch 60 cm ovens **except** HBA13B253A, HBC53B550A.

HEZ333070
'Profi' pan (Pyrolysis proof)
Extra deep, large enamelled pan (10 litre capacity) with wire rack insert. Best suited for large roasts and is ideal for automatic programs when used in conjunction with 'Profi' pan lid. Pyrolysis compatible with pyrolytic ovens.

Note: stainless steel wire rack is not pyrolysis proof and must be removed prior to pyrolytic cleaning program.

Suits all Bosch 60 cm ovens **except** HBA13B253A, HBC53B550A.

HEZ333001
'Profi' pan lid (Pyrolysis proof)
Large enamelled lid to match the 'Profi' pan. When used in conjunction with the 'Profi' pan creates the 'Profi' roaster which is ideal for automatic programs. Pyrolysis compatible with pyrolytic ovens.

Note: stainless steel handle is not pyrolysis proof and must be removed prior to pyrolytic cleaning program.

Suits all Bosch 60 cm ovens **except** HBA13B253A, HBC53B550A.



HEZ324000
Wire rack for universal pan
Fits into the universal pan for all grilling applications. Universal pan and wire rack can be removed together.

Suits all Bosch 60 cm ovens **except** HBA13B253A, HBC53B550A.

HEZ336000
Glass pan
Made of oven-proof glass and can be used as a large cooking and serving dish. This glass pan is ideal for fish, toast or grilled dishes.

Suits all Bosch 60 cm ovens **except** HBA13B253A, HBC53B550A.



HEZ338353
Telescopic racking system 3-fold

Suits all Bosch 60 cm ovens **except** HBA13B253A, HBC53B550A.

Compact appliances

HEZ861000
Baking tray
Enamelled baking tray for cakes, biscuits, rolls and bread.

Suits Bosch HBC84K553A.

HEZ862000
Universal pan
Extra deep enamelled pan for fruit flans, pizzas, deep-frozen dishes, large roasts and bread. This pan can be used to catch any residual fat or dripping when grilling.

Suits Bosch HBC84K553A.

HEZ863000
Glass pan
Made of oven-proof glass and can be used as a large cooking and serving dish.

Suits Bosch HBC84K553A.

Cooktops

HEZ86D000
Microwave steam accessory
For steaming of vegetables, etc, in the microwave. Made from stainless steel.

Suits Bosch HMT35M653A and HBC84K553A (Microwave function only).

HEZ390040
Induction cookware set
4 piece 'iittala' induction cookware set consisting of 2 pots, 1 casserole and 1 fry pan.

Suits all Bosch induction, ceramic and gas cooktops.

HEZ390090
Stainless steel wok
Stainless steel wok for induction and ceramic cooktops. Includes glass lid and draining grid.

Suits all Bosch induction and ceramic cooktops.

Accessories

Rangehoods

DHZ3105
Recirculation set / charcoal filter

For Bosch DHI625NAU

DHZ3405
Recirculation set / charcoal filter

For Bosch DHI635KAU, DHI645KAU

DHZ4505
Recirculation set / charcoal filter

For Bosch DHI645NAU, DHI755FAU, DHI955FAU

DHZ5145
Recirculation set / charcoal filter

For Bosch DWW061451A, DWW091451A

DHZ5345
Recirculation set / charcoal filter

For Bosch DWB09E750A, DWW09D650A, DWK09E650P

DHZ5325
Recirculation set / charcoal filter

For Bosch DWA09E850A, DWA09E750A

DHZ5225
Recirculation set / charcoal filter

For Bosch DWB099751

DHZ7305
Recirculation set / charcoal filter

For Bosch DHL555BAU

DHZ7305
Charcoal filter

For Bosch DHL555BAU

DHZ3320
White pelmet

Fits all Bosch 60 cm slideout rangehoods **except** commercial model DHI622GAU

DHZ3350
Metallic pelmet

Fits all Bosch 60 cm slideout rangehoods **except** commercial model DHI622GAU

DHZ4650
Stainless steel finish pelmet

Fits all Bosch 60 cm slideout rangehoods **except** commercial model DHI622GAU

DHZ4750
Stainless steel finish pelmet

Fits Bosch DHI755FAU

DHZ4950
Stainless steel finish pelmet

Fits Bosch DHI955FAU

DHZ4910
Mounting kit for 90 cm cupboard

Fits Bosch DHI955FAU

Technical diagrams

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance. All measurements in mm.

60 cm Built-in Oven



HBG76S650A, HBG73S550A, HBA63S451A, HBA63B250A, HBG43S450A, HBG43S420A, HBA13B252A, HBA13B253A



HBR43S450A

60 cm Built-in Oven



HBL43S450A

90 cm Built-in Oven



HBX33R51

60 cm Built-in Double Oven



HBM43S550A, HBM43B250A

60 cm Built-in Compact Gourmet Oven with Integrated Microwave



HBC84K553A

60 cm Built-in Combi-Steam Oven



HBC34D554P

Technical diagrams

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance. All measurements in mm.

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance. All measurements in mm.

60 cm Built-in Steam Oven









Measurements in mm

HBC24D553P

60 cm Built-in Compact Oven



Installation above 840 mm only



Measurements in mm

HBC53B550A

60 cm Built-in Microwave Oven







Measurements in mm

HMT35M653A

Built-In Espresso Machine



An installation height >950 mm makes it difficult to fill the containers for beans and water which are fitted on the top.



The fully automatic espresso machine can be fitted above a warming drawer. An intermediate floor is not required.

Fully automatic espresso machine

left-hand corner installation

right-hand corner installation



Measurements in mm

TCC78K751A

60 cm Built-in Warming Drawer



Ovens with a height of 595 mm can be installed above a warming drawer in the HSC 29 range. An intermediate floor is not required.

Measurements in mm

HSC290652A

60 cm Built-in Warming Drawer



* Colour-fronted appliances

Compact appliances with a height of 454 mm can be installed above a warming drawer in the HSC 14 range. An intermediate floor is not required.

Measurements in mm

HSC140652A

90 cm Dual Fuel Range Cooker





60 cm Electric Cooker







Measurements in mm

HCE858451A, HCE854451A

60 cm Dual Fuel Cooker







Measurements in mm

HGV74W355A





Measurements in mm

HSB738156A

Technical diagrams

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance. All measurements in mm.

80 cm FlexInduction / Induction Cooktop



Measurements in mm

PIN875N14E / PIL875N14E

60 cm FlexInduction / Induction Cooktop



Measurements in mm

PIN675N14E / PIE675N14E

70 cm Induction Cooktop



Measurements in mm

PIE775N14E

60 cm Induction Cooktop



Measurements in mm

PIE651T14E

60 cm Induction Cooktop



Measurements in mm

PIL615R14E

Cookware for Induction Cooktops

Important:

Induction heating relies on creating a controlled electro-magnetic field, which requires magnetic-based cookware. This includes stainless steel cookware with a magnetic base, enamelled steel or cast-iron. Glass, aluminium, copper or ceran pots are not suitable for use. If you are unsure, hold a magnet to the base of the cookware. If it attracts and holds, then the cookware is most probably suitable.

Installation Requirements for Induction Cooktops Only





① Ventilation gap must be present.



Measurements in mm

80 cm Ceramic Cooktop



Measurements in mm

PKC875N14A

70 cm Ceramic Cooktop



Measurements in mm

PKG775N14A

60 cm Ceramic Cooktop



Measurements in mm

PKN675N14A

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance. All measurements in mm.

60 cm Ceramic Cooktop



Measurements in mm

PKF645Q14A

60 cm Ceramic Cooktop



Measurements in mm

PKE645C14A

70 cm Tempered Glass Gas Cooktop



Measurements in mm

PPQ716B21A

60 cm Tempered Glass Gas Cooktop







Measurements in mm

PPH616B21A

90 cm Gas Cooktop



Measurements in mm

PCT915B9TA

90 cm Gas Cooktop



Measurements in mm

PCR915B91A

90 cm Gas Cooktop



Measurements in mm

PCW915B90A

70 cm Gas Cooktop



Measurements in mm

PCQ715B90A

75 cm Gas Cooktop



Measurements in mm

PCI815B91A

60 cm Gas Cooktop



Measurements in mm

PCH615B9TA

Technical diagrams

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance. All measurements in mm.

60 cm Gas Cooktop



Measurements in mm

PBH615B9TA

60 cm Gas Cooktop



Measurements in mm

PBH615B80A

90 cm Wall-Mounted Rangehood







Measurements in mm

DWA09E750A

90 cm Wall-Mounted Rangehood







Measurements in mm

DWA09E850A

90 cm Wall-Mounted Rangehood









Measurements in mm

DWK09E650P

90 cm Wall-Mounted Rangehood









Measurements in mm

DWB09T150A

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance. All measurements in mm.

90 cm Wall-Mounted Rangehood









Measurements in mm

DWB09E750A

90 cm Wall-Mounted Rangehood









Measurements in mm

DWW09D650A

90 cm Wall-Mounted Rangehood









Measurements in mm

DWW091451A

60 cm Wall-Mounted Rangehood









Measurements in mm

DWW061451A

Technical diagrams

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance. All measurements in mm.

53 cm Integrated Rangehood







Measurements in mm

DHL555BAU

90 cm Slideout Rangehood







Measurements in mm

DHI955FAU

70 cm Slideout Rangehood





Measurements in mm

DHI755FAU

60 cm Slideout Rangehood





Measurements in mm

DHI645NAU

60 cm Slideout Rangehood







Measurements in mm

DHI635KAU

60 cm Slideout Rangehood







Measurements in mm

DHI625NAU

This much is for sure: you can trust in our service.

Reliable, experienced, fast. The customer service of Bosch; before and after purchase.

Quality service straight from the manufacturer. Original Bosch.

We are committed to quality even when it comes to after-sales service because no one knows Bosch appliances better than our highly trained service engineers. Working with the latest equipment for measuring, diagnostics and repairs, Bosch service engineers only use original Bosch spare parts.

Reliability guaranteed. No compromises.

All Bosch home appliances are produced with maximum care with high-quality materials. We promise it in our 2-year manufacturer's warranty on all appliances.

Lifetime service. It goes without saying at Bosch.

Once your warranty period is over, we are still there to assist you. You can rely on expert care and first-rate service throughout the life cycle of your appliance. From missing instruction manuals to appliance repair – we take care of everything.

Original accessories. Effective care products.

Take a look at our extensive range of accessories for some inspiration: discover additional uses, replace old materials for optimum operation or simply give a trusty home appliance a good work-over. With the right care, you will be able to enjoy your high-quality appliance for many years to come. To help you do so, weoffer a wide range of Bosch certified cleaning and care products.

Extensive customer service network. Just a call away.

Customer Care
Our friendly Bosch Customer Care team is on-hand to provide competent, reliable assistance. Before or after purchase, the Bosch team will be happy to advise you on products, their use and special functions.

Bosch Customer Care: 1300 368 339
Monday to Friday, 8:30am to 6:00pm.

Service & Repairs
Our team is there to provide the right advice on faults, arranging a visit of a service engineer and ordering the right accessories or spare parts.

Bosch Repairs & Service, Accessories and Spare Parts: 1300 360 447
Monday to Friday, 8:30am to 5:00pm.

BSH Home Appliances Pty Ltd

7-9 Arco Lane
Heatherton VIC 3202

Postal Address
PO Box 505
Moorabbin VIC 3189

Customer Service
Phone: 1300 368 339
Fax: 1300 306 818

www.bosch-home.com.au

Bosch Cooking Solutions brochure is printed in an environmentally conscious way, using inks containing linseed oils and stock manufactured to high environmental standards.

This material is printed on HannoArt Silk, manufactured by Sappi Fine Paper in Germany. The pulp for this paper is sourced from certified and responsibly managed plantation forests. ISO14001 EMS and EMAS certifications. 48% of Sappi's global energy requirements come from renewable sources.

The print company has a strict environmental policy and they are an FSC®-certified print company. They use initiatives such as computer-to-plate technology, water/isopropyl alcohol reductions in printing presses and recycling throughout the organisation. This is in addition to the ink selection as discussed above and in their advice to all clients on the environmental implications of paper selection and usage.

Certain appliances shown in this catalogue are not available in your country. Model numbers and specifications are for reference only and subject to change without prior notice. Please contact your local Bosch retailer for the latest information.

Whilst every care has been taken in the preparation of this publication, BSH does not warrant the accuracy or completeness of the information in this publication and BSH reserves the right to alter specifications without notice. To the extent permitted by law, BSH excludes all liability, including negligence, for any loss incurred in reliance on the contents of this publication.

Printed in Australia. AEF | KRD 04/2013 – BH 1871 B